

---

**M/s Manav Sevarth Trust**

---

**COMPLIANCE REPORT**  
**of**

**Expansion of "Action Cancer Hospital"  
at A-4, Paschim Vihar, Near Paschim  
Vihar East Metro Station, New Delhi**

---

**SUBMITTED BY**

---

**M/s Manav Sevarth Trust**

---

**1st October 2024 To 31th March 2025**

## TABLE OF CONTENT

<b>S. No</b>	<b>Description</b>
<b>Compliance of Specific and General Conditions</b>	

## ***LIST OF ANNEXURES***

<b>Annexure</b>	<b>Description</b>
Annexure-I	Environment Clearance letter for Expansion
Annexure-II	Copy of Consent to Establish
Annexure-III	Copy of Consent to Operate
Annexure IV	Copy of Fire NOC
Annexure-V	Copy of Water Bills
Annexure- VI	Copy of STP Log Book
Annexure-VII	Photograph of STP
Annexure-VIII	Environmental Monitoring Reports
Annexure-IX	Photograph of Existing Rain Water Harvesting Pit
Annexure-X	Photograph of Separate wet and dry bins
Annexure-XI	Copy of the Authorization & agreement for BMW Management
Annexure XII	Copy of Traffic circulation plan
Annexure-XIII	Copy of Green Belt Development Plan
Annexure-XIV	Photographs of Green Belt Development Area
Annexure-XV	Copy of Detailed CER Budget with activities
Annexure-XVI	Copy of land documents
Annexure-XVII	Copy of electricity bills
Annexure-XVIII	Photograph of DG Set
Annexure-XIX	Photograph of water sprinkling and Anti -smog gun

---

Annexure-XX	Photograph of wind breaking wall
Annexure-XXI	Photograph of construction material cover with green net
Annexure-XXII	Photograph of PM 10 and PM 2.5 sensor
Annexure-XXIII	Copy of PUC certificate
Annexure-XXIV	Copy of Newspaper Advertisement
Annexure-XXV	E-Mail Receiving of Previous Compliance Report of June 2023
Annexure-XXVI	Receiving of Form -V
Annexure-XXVII	LED bills

---

**Annexure- I**

**Environment Clearance letter for**

**Expansion**

F.No.21-8/2019-IA-III  
Government of India  
Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi - 3

Date: 6<sup>th</sup> August, 2019

To,

**Shri Ram Chandra, Trustee**  
**M/s Manav Sevarth Trust**  
Manav Sevarth Trust at Facility No. 34,  
Paschim Vihar, Punjabi Bagh, Delhi -110063  
E-mail: [satyapal@actioncancerhospital.com](mailto:satyapal@actioncancerhospital.com)

**Subject: Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust - Environmental Clearance - reg.**

Sir,

This has reference to your online proposal No. IA/DL/MIS/91893/2019 dated 24<sup>th</sup> January, 2019, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of environmental clearance to the project Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust, was considered by the Expert Appraisal Committee (Infra-2) in its 39<sup>th</sup> meeting held during 26-28 March, 2019. Correction made in the minutes of 40<sup>th</sup> meeting held on 23<sup>rd</sup> April, 2019. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:-

- (i) The project will be located at Latitude: 28°40'26.36" N and Longitude: 77°06'41.50" E.
- (ii) The proposed project is an Expansion project. The existing hospital complex was constructed in year 2009. The built-up area of existing hospital is 9623.55 sqm, which is less than 20,000 sqm. Hence, it did not attract the provisions of EIA notification 2006. Now, due to increase in the capacity of handling of patients and increase in beds, two towers are proposed, resulting in increase in built up area. Hence, proposal for EC for Expansion of the Hospital Complex has been made.
- (iii) Total plot area of 10,000 sqm and built-up area of the project will be 33,021.717 sqm. No. of beds after expansion will be 270 and maximum height of the building will be 32.40 m. Due to increase in the capacity of handling of patients and increase in beds, in the existing complex, a new tower with MLCP will be constructed and vertical addition to existing tower will be done. Hence, 23,398.167 sqm area will be added to existing built up area of 9,623.550 sqm which will result in total Built-up area of 33,021.717 sqm after expansion. Total beds after expansion shall be increased to 270 beds (IPD Only) from existing 200 beds (IPD & OPD) & there will be addition of Hospital

*J. hose*

& Residential Tower, Multi-level car parking Tower, four no. of basements, atrium & Non-FAR area as well. The details are as follows:

S. No.	Particulars	Unit	Total after expansion
1.	Plot area	sqm	10,000 (1.0 Ha)
2.	Project cost	Rs.	50 Crore
3.	Permissible ground coverage	sqm	4,000.000
4.	Permissible ground coverage for parking	sqm	500.000
5.	Permissible total ground coverage for parking and hospital	sqm	4,500.000
6.	Permissible ground coverage for Atrium	sqm	1,000.00
7.	Proposed ground coverage	sqm	4,286.46
8.	Proposed ground coverage for parking	sqm	500.000
9.	Proposed ground coverage for parking and hospital	sqm	3,887.456
10.	Proposed ground coverage for atrium	sqm	399.004
11.	Permissible FAR	sqm	25000.000
12.	<b>Proposed FAR- A</b>	sqm	<b>21123.831</b>
	Hospital Block	sqm	15311.290
	Residential Block	sqm	5812.539
13.	<b>Non-FAR- B</b>	sqm	<b>2,789.044</b>
	Basement-I	sqm	2,394.633
	Basement-II	sqm	1,411.425
	Basement-III	sqm	400.232
	Basement-IV	sqm	400.232
14.	<b>Total Basement Area-C</b>	sqm	<b>4,606.522</b>
15.	<b>Multilevel Car Parking Area (Excluding Area)-D</b>	sqm	<b>4,502.320</b>
16.	<b>Built-up Area (A+B+C+D)</b>	sqm	<b>33,021.717</b>

- (iv) During construction phase, total water requirement is expected to be 5 KLD for construction purpose which will be met by treated water nearby STP. During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labour force.
- (v) During operational phase, total water demand of the project is expected to be 123 KLD out of which fresh water demand is 54 KLD will be met through Delhi Jal Board and tanker supply and 68 KLD of treated water from STP will be reused in flushing, gardening & DG & HVAC Cooling. The total waste water generation will be 79 KLD from Domestic and Flushing uses & 0.5 KLD from Laboratory which will be treated in STP of 600 KLD Capacity & rest 3 KLD of excess treated wastewater will be discharged into sewer line.
- (vi) After expansion, total 72 tons/annum of solid waste shall be generated from the hospital. Biodegradable waste of 43 tons/annum shall be treated in Organic waste converter within the complex and non- biodegradable waste of 14 tons/annum and recyclable waste of 14 tons/annum will be given to approved vendor. 0.19 kL/annum (16 litres/month) of used oil shall be generated. E-waste generation shall be 0.024 -0.036 tons/annum which will be given to Authorised recycler. Biomedical waste generation from beds will be 16.4 tons/annum after expansion which will be given to authorized vendor.
- (vii) The total power requirement of the complex is 500 KW which will be met by BSES. In case of power failure, power backup shall be provided through D.G sets of 1 X 750 kVA (Existing) and 1x750 kVA (Proposed). Hence to reduce the air emissions proper stack height shall be provided as per prescribed norms by CPCB.

*S. Rose*

- (viii) Total 2 nos. of RWH pits will be constructed to recharge the ground water (out of which 1 no. of pit is already in the hospital).
- (ix) Total Parking requirement is 358 ECS. Total parking provision will be 368 ECS.
- (x) No Eco Sensitive area lies within the 10 km radius of the project site. Hence, NBWL Clearance is not required.
- (xi) Forest Clearance is not required.
- (xii) There is no Court case pending against the project.
- (xiii) Cost of the project is Rs. 50 Crores
- (xiv) Employment potential: Labourers during construction phase 150 no. and about 463 personnel as hospital staff during operation phase.
- (xv) Benefits of the project: Employment opportunities provided due to the project will lead to better quality of life and will also set a standard for future developments in the area. The project will lead to increase in the infrastructure of the area and encouraged others for further development of the area. The Hospital will boast some of the best medical care infrastructure in the country. It will render tertiary and specialized treatment to general population. It will provide healthy, green & safe premises for living. People have more open and green spaces, bringing them closer to nature. People live, stay and recreate; and have immediate access to entertainment facilities in a single, spacious and secured area. Corporate Environment Responsibility will also be considered for the social benefits of the society.

3. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level by sectoral EAC. However, due to absence of SEIAA/SEAC in Delhi, the proposal has been appraised at Central Level.

4. The Committee was informed that the existing hospital complex was constructed in year 2009. The built-up area of existing hospital is 9623.55 sqm, which is less than 20,000 sqm. Hence, it did not attract EIA notification 2006. The project is having Consent to Operate (CTO) from Delhi Pollution Control Committee (DPCC). Now, to increase the capacity of handling of patients and increase in beds, in the existing complex, two new towers will be constructed. Hence, 23,398.167 sqm will be added to existing hospital thereafter total Built-up area will be 33,021.717 sqm. Total beds after expansion shall be 270 from existing 200 beds. CTO for existing hospital was renewed by DPCC/WMC/2016/37169 dated 02.06.2016 and was valid up to 18.12.2018. The project proponent has applied to the DPCC for renewal of CTO and the application is under consideration with DPCC. The project proponent confirmed before the Committee that the present water requirement is being fulfilled by water supply connection from Delhi Jal Board and existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.

5. The EAC in its 39<sup>th</sup> meeting held on 26-28 March, 2019, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended the project for grant of

*J. Basu.*

environmental clearance with stipulated specific conditions along with other Standard EC Conditions as specified by the Ministry vide OM dated 4<sup>th</sup> January, 2019 for the said project/activity, while considering for accord of environmental clearance. Correction made in the minutes of 40<sup>th</sup> meeting held on 23<sup>rd</sup> April, 2019. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project Expansion of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

#### **A. Specific Conditions:**

- (i) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
- (ii) The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.
- (iii) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (iv) As proposed, fresh water requirement from Delhi Jal Board shall not exceed 54 KLD for which project proponent has already connection for the existing Hospital. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.
- (v) Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing, gardening, & HVAC cooling purposes. No excess treated water from STP shall be discharged to municipal drain.
- (vi) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (vii) The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (viii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 2 nos. of rain water harvesting recharge

pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.

- (ix) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.
- (x) Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable.
- (xi) Traffic Management Plan as submitted shall be implemented in letter and spirit. Further, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- (xii) No tree cutting/transplantation of existing trees has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 2,255.879 sqm (22.60% of total area) area shall be provided for green area development.
- (xiii) As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, and proposed by the project proponent, an amount of Rs. 0.5 Crores (1.0% of the project cost) shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as clean drinking water, skill development etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

## **B. Standard Conditions:**

### **I. Statutory compliance:**

- i. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.

*S. Basu*

- ii. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- iv. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- v. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- vi. The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
- vii. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

## **II. Air quality monitoring and preservation:**

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub>) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.

*J. Basu*

- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

### **III. Water quality monitoring and preservation:**

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- iv. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- v. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vi. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.

*S. Rose.*

- vii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- viii. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- ix. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- x. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xi. All recharge should be limited to shallow aquifer.
- xii. No ground water shall be used during construction phase of the project.
- xiii. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xiv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xv. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
- xvi. No sewage or untreated effluent water would be discharged through storm water drains.
- xvii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xviii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xix. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

*S. Rose*

#### **IV. Noise monitoring and prevention:**

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

#### **V. Energy Conservation measures:**

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

#### **VI. Waste Management:**

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

*S. Rose*

- iii. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- iv. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- v. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vi. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- vii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.
- viii. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- ix. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

#### **VII. Green Cover:**

- i. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

#### **VIII. Transport**

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b. Traffic calming measures.
  - c. Proper design of entry and exit points.
  - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

*3. base:*

**IX. Human health issues:**

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

**X. Corporate Environment Responsibility:**

- i. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- ii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

**XI. Miscellaneous:**

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in

*S. Rose*

addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

*J. Basu*

xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

6. This issues with the approval of the Competent Authority.

*S. Bose*  
(Dr. Subrata Bose)  
Scientist F

**Copy to:**

- 1) The Secretary, Department of Environment, Government of Delhi, New Delhi.
- 2) The Addl. Principal Chief Conservator of Forests (C), Ministry of Environment, Forests and Climate Change, Kendriya Bhavan, 5<sup>th</sup> Floor, Sector-H, Aliganj, Lucknow - 226024.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Member Secretary, Delhi Pollution Control Committee, Department of Environment, Government of N.C.T. Delhi, 4<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- 7) MoEFCC website.

*S. Bose*  
(Dr. Subrata Bose)  
Scientist F

**Annexure-II**

**Copy of Consent to Establish**



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)

## CONSENT ORDER

**Certificate No. :G-23090**

<b>Name of the unit</b>	:	ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARATH TRUST)
<b>Address</b>	:	A-4,FC 34 H2 PASCHIM VIHAR, Health Care Facility, Delhi - 110063
<b>Consent Order No</b>	:	DPCC/CMC/2021/5803079
<b>Date of issue</b>	:	20/04/2022
<b>Product/Activity</b>	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and without boiler
<b>Manufacturing Activities</b>	:	HEALTH CARE FACILITY (270 BEDDED )
<b>Category Name</b>	:	[RED]
<b>Product Capacity</b>	:	0 Metric Tonnes/Day

This Consent to Establish is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 5803079 valid from 07/06/2021 to 06/06/2024.**

Senior Environmental Engineer

## Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH = 6.5-9, Total Suspended Solids (TSS) = 100, Biochemical Oxygen Demand (3 days at 27 degree Cent.) = 30, COD = 250, Oil and Grease = 10, Bio-assay Test (Present survival of fish after 96 hours in 100% effluent) = 90-100 %.  
# All effluent parameters are in mg/l except pH value & Bioassay test value.
2. The Consent is activity specific and based on the information provided in the consent application along with the subsequent documents/ information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/ manufacturing process.
3. The Consentee shall display the Name of the unit along with its Address, name of the Proprietor /Directors/ Partners etc, Contact Phone No(s) and its Activities/ Processes/ Products on a Display Board to be placed / fixed at the main gate of the unit.
4. The Consentee/ unit shall have/ take separate Electricity/ Power connection in its name and shall have/ install separate meter in this regard.
5. The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to the conveyance system/ sewerage system of the area leading to the Common Effluent Treatment Plant of the Industrial Area/ Sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/ Notification of Govt. of NCT of Delhi. The Consentee shall not extract the groundwater without obtaining prior permission in this regard from DJB/ CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, the same shall be closed/ sealed with immediate effect till permission received from DJB/ CGWA.
7. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain a clean & safe environment in and around the premises of the unit.
8. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest (MoEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MoEF, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:
  - a) Minimum 6 metre above the building where generator set is installed
  - b) 30 metre
  - c)  $14Q^{0.3}$  (Q- Total SO<sub>2</sub> emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula,  $H = h + 0.2(KVA)^{0.5}$  (H- Total Height of stack in metre, h = Height of the building in metres where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
9. The Consentee shall comply with the provisions of the Hazardous and Other Wastes(Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling)

Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessors/ Authorised Agencies for such wastes, authorised by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.

10. The Consentee shall comply with the provisions of Solid Waste Management Rules, 2016 as amended to date.

11. The Consentee shall comply with the provisions of the Biomedical Waste Management Rules, 2016, as amended to date.

12. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.

13. The Consentee shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.

14. The Consentee shall promote the use of LED and recovery of mercury from CFL Lamps and should create a system of replacing old bulbs for new to enable recovery of mercury after the bulbs are fused.

15. Total water demand of the project is expected to be approx. 123 KLD and the same will be met by 54 KLD fresh water from DJB & Tanker Supply; 68 KLD from treated water from STP. Expected Domestic wastewater generation will be 79 KLD and will be treated in STP of 600 KLD.

16. Quantity of Effluent Discharge from the unit shall not exceed (i) Sewage / Domestic Effluent 79 KLD (ii) Trade Effluent 0.5 KLD and will be treated in ETP of 2 KLD.

17. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.

18. The zero wastewater discharge condition to be achieved with installation of onsite Sewage Treatment Plant. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and a report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.

19. The treated wastewater of STP shall be recycled and reused for horticulture/ landscaping/ cooling/ flushing purposes to reduce the demand of fresh water as committed.

20. The Project Proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/ green etc. and shall maintain a record of readings of each such meter on daily basis.

21. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the Project Proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis. The water requirement shall be met from the sources as per the details mentioned in the Environmental Clearance and fresh water requirement shall not exceed 54 KLD during the operation phase of the HCF.

22. Capacity of the Diesel Generator Set (s) installed in the HCF are 2\*750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.

23. The Consentee shall comply with the applicable provisions/ Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of PolyPropylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi if applicable.

24. The Consentee shall provide widespread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.

25. Project Proponent will ensure use of Ozone Depletion Substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.

26. During the Construction Phase for Control of dust pollution all precautionary measure should be ensured in compliance of Hon'ble National Green Tribunal order dated 04.12.2014 in the matter of Vardhaman Kaushik vs. Union of India & Ors. and Sanjay Kulshrestha vs. Union of India & Ors. and as notified by MoEF&CC, GOI vide Notification No. G.S.R. 94(E) dated 25.01.2018. Consignee shall use Anti-Smog Gun(s) compulsorily for undertaking construction & demolition activity including excavation, material handling and other dust generating activities for compliance of Hon'ble Supreme Court orders dated 13.01.2020 in WPC No. 13029/1985 titled M.C. Mehta vs. Union of India & Ors.

27. It will be the responsibility of the Project Proponent to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this project before starting of the project.

28. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.

29. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by SEIAA Delhi and shall submit a half yearly compliance report in respect of terms and conditions of Environmental Clearance to Regional Office of MoEF & CC and simultaneously to DPCC on the prescribed date.

30. The Consentee shall submit an application for extension of the Consent to Establish/ Consent to Operate under Water and Air Acts & Authorization under BMWM Rules, 2016 one month in advance of the expiry date of this Consent Order/ date of start of operation of the HCF.

31. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statutory authorities shall be entirely at the cost and risk of the project proponent, DPCC shall not be responsible in this regard in any manner.

32. The Consenee is allowed to run the pollution control devices and collect and test the data. The trial for these aforesaid purposes is permitted within the period of maximum three months from the date of completion. The Consenee shall give prior intimation to DPCC, of the dates on which trial would start and end. Thereafter Project Proponent shall apply for Consent to Operate along with requisite details and test reports to DPCC.

33. The Consenee shall abide by the Guidelines on Environmental Management of Construction and Demolition (C&D) Waste and Guidelines on Dust Mitigation Measure in Handling Construction Material and C&D waste developed and published by CPCB available at [www.cpcb.nic.in](http://www.cpcb.nic.in)

34. The Consenee shall display the enclosed template of Notice for Construction and Demolition Waste Management at the site.

35. The Consenee shall ensure the compliance of policy to be followed regarding operation of Ready Mix Concrete Plants (RMC Plants) issued vide office order No. DPCC/CMC I/RMC/2017/2596 to 2614 dated 27.12.2017 (available at DPCC website).

36. In the event of any information furnished by the Consenee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.

37. Notwithstanding anything contained in this Consent Order. Delhi Pollution Control Committee, reserves its right to review any/ or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.

38. The Consent granted to the Consenee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consenee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

39. The Consenee shall ensure the safeguards as envisaged in Environmental Clearance issued to Shri Ram Chandra, Trustee M/s Manav Sevarth Trust vide file no. 21-8/2019-IA-III dated 06.08.2019 including the dust control measures during the construction stage.

40. This issue in view of the Office Order dated 12.04.2016 regarding processing of the Consent to Establish cases.

Template for displaying notice w.r.t. Condition No. 34 to be displayed on board of size 6 feet X 4 feet.

Background color - Yellow, Letters - Black

NOTICE

(Construction and demolition waste management rule 2016)

The construction/Demolition site is authorized by... Vide file no... Dated.....

1. Name and Address with contact number of contractor/developer
2. Address of the site
3. Area/length
4. Date of initiation of the project (dd/mm/yy)
5. Scheduled completion date of the project (dd/mm/yy)
6. Details date of completion/disposal/clearing of the site (dd/mm/yy)
7. Estimated waste (TPD)
8. Total estimated waste (MT) for the entire project
9. Nature of waste (concrete/iron/plastic/soil) (TPD)
10. Material Generated Recycled Reused Disposed

Sand -----

Concrete -----

11. Identified waste disposal site
12. Mode of utilization of waste (reuse/recycle/convert to construction material)
13. Mode of disposal
14. Mode of handling and transportation (manual/mechanical/pneumatic)(by road/rail)
15. Dust mitigation measures at the site (water sprinkling/curtain/barrister)
16. Reason of delay in disposing waste (in any)
17. Accidents reported (in any)

Name of Agency Owner

Telephone number

**Annexure-III**

**Copy of Consent to Operate**



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

## CONSENT ORDER

Certificate No. :G-23155

Name of the unit	:	ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARATH TRUST)
Address	:	A-4,FC 34 H2 PASCHIM VIHAR, Health Care Facility, Delhi - 110063
Consent Order No	:	DPCC/CMC/2021/6762004
Date of issue	:	20/04/2022
Product/Activity	:	Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and without boiler
Manufacturing Activities	:	HEALTH CARE (130 BEDDED)
Category Name	:	[RED]
Product Capacity	:	0 Metric Tonnes/Day

This Consent to Operate is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under RED Category. This consent is subjected to terms and conditions specified overleaf. This is being issued with reference to your application id 6762004 valid from 30/11/2021 to 29/11/2026.

Prem Swarup  
Pankaj  
Senior Environmental Engineer

Digitally signed by Prem  
Swarup Pankaj  
Date: 2022.04.22 12:38:33  
+05'30'

**Annexure-IV**  
**Copy of Fire NOC**



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

20/06/2023


No. F6/DFS/MS/Hospital/WZ/2023/ 297

Dated:- 20/06/2023

FIRE SAFETY CERTIFICATE

Certified that the Manav Sevarth Trust Hospital (Action Cancer Hospital) Located at, FC-34, A-4, Block, Paschim Vihar, New Delhi-110063, comprised of Two Blocks, A Block (Cancer Hospital), Basement + Ground + 03 Upper Floors & B Block (Nursing Hostel), 02 Basement + Ground + 02 Upper Floors only owned/occupied by Manav Sevarth Trust Hospital, was issued Fire Safety Certificate vide Letter No. F6/DFS/MS/WZ/Hospital/2020/WZ/268 dated 24.07.2020. The said premises was re-inspected by the officers concerned of this department on 27.05.2023 in the presence of Sh. Mandeep Lakra (A.G.M) and found that the building/premises have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rule, 2010, and that the premises/building is fit for occupancy class "Institutional Building" Group C Sub Division C-1 with effect from 20/06/2023 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010, printed below.

Issued on 20/06/2023 at New Delhi by.

  
(Atul Goyal  
Director  
Delhi Fire Service

Copy to:-

Dr. Archana Atreja, Medical Superintendent, Action Cancer Hospital, FC-34, A-4, Paschim Vihar, New Delhi-110063.

Following fire safety directives must be adhered to:-

1. All the means of escape shall be kept free of all type of obstruction all the time. It should not bolt /locked.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any loss of life any property due to the non-functional of any fire safety measures, management shall be held responsible.
4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
6. All comments / directions of building Department shall always be permitted and followed.
7. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on [www.dfs.delhigovt.nic.in](http://www.dfs.delhigovt.nic.in)
8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.
9. The basement shall be used as per BBL.

**Annexure-V**

**Copy of Water Bills**



STOP CORONA:

- I. Wear Mask.
- II. Follow Physical Distancing.
- III. Maintain Hand Hygiene.

## Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

www.djb.gov.in

## Regular Water Bill



**Name (नाम):** SH MANAV SEVARATH TRUST  
**Address (पता):** A-4/FC-34 G, F, PASCHIM VIHAR, Delhi  
**Mobile No. (मोबाइल):** 9811052607  
**Zone/Loc (ध्येय स्थान):** NW3 / Kanhaiya Nagar  
**Area Code (एरिया कोड):** A-2  
**MR Code (एमआर कोड):** 296/BULK  
**KNO (केएनओ):** 2156471000

**Consumer Category (उपभोक्ता प्रेणी):** CAT II  
**Premise Detail (परिसर विवरण):** (No of floors-1, No of Borewell-1)  
**Meter No. (मीटर संख्या):** 15017227  
**Meter Type (मीटर का प्रकार) (DJB/Pvt):** PVT  
**Bill No. (बिल संख्या):** 215831135592  
**Bill Cycle (बिल चक्र):** ZALL(B7-2024)  
**Bill Basis (बिल आधार):** REGULAR

**Bill Date (बिल की तिथि):**

29-OCT-2024

**Bill Amount (Rs.) (बिल राशि (₹)):**

183914

**Bill Amount Payable (Rs.) (देय बिल राशि (₹)):**  
(Nearest up to Rs. 10) (नम्मा 10 रु. तक)

183910

**Bill Due Date (बिल देय तिथि):**  
16-NOV-2024**Amount Payable After Due Date (Rs.) (देय तिथि के बाद देय राशि (₹)):**  
193109

Meter No (मीटर संख्या)	UoM (मीटर की इकाई)	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (जूनिट)
15017227	KL	29-OCT-2024	127356 / OK	23-SEP-2024	126593 / OK	36	763

**Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (23-SEP-2024 to 29-OCT-2024)**

Applicable Rate Period	Description	Amount (Rs.)
24-SEP-2024 to 29-OCT-2024	Total Consumption Charges	124870.53
24-SEP-2024 to 29-OCT-2024	Sewerage Charge (60 % of Water Consumption Charge)	74922.32
24-SEP-2024 to 29-OCT-2024	Service Charge - Consumption > 100 KL	1581.23
24-SEP-2024 to 29-OCT-2024	Additional Sewerage Maintenance Charge for Hospitals/NH	15000.00
24-SEP-2024 to 29-OCT-2024	Sub Total Bill Amount without Meter Rent	216374.08
24-SEP-2024 to 29-OCT-2024	Discount for WH & WWR(10% of Total Water Bill)	-21637.41
24-SEP-2024 to 29-OCT-2024	Discount for both WH & WWR(5% of Total Water Bill)	-10818.70
24-SEP-2024 to 29-OCT-2024	Subtotal Bill Amount	183917.97
Adjustment Details Are Listed Below		

**Arrear, If any (Rs.) (कमाया, यदि कोई (₹))**

-4.83

**Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))**

183914

**Late Payment Surcharge (Rs.) (देय से पूर्णतापर अधिभार) (5% surcharge will be applicable after due date) (देय तिथि के बाद 5% अधिभार नामुद होगा)****Amount with LPSC after due date (Rs.) (देय तिथि के बाद अधिभार के सापेक्ष राशि (₹))**

193109

**PAYABLE AMOUNT TO AVOID REBATE SCHEME (Rs.) (पूरा योजना के लिए देय राशि (₹))****Payment History (प्रेसिल बिल)**

Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
30-AUG-2024	23-SEP-2024	24	126593	OK	622	149696	215429557387	149700.00	09-OCT-2024
29-JUL-2024	30-AUG-2024	32	125971	OK	807	194254	215497303394	194250.00	10-SEP-2024
27-JUN-2024	29-JUL-2024	32	125164	OK	794	191142	215739805249	191140.00	14-AUG-2024
27-MAY-2024	27-JUN-2024	31	124370	OK	774	186325	215167912964	186330.00	15-JUL-2024
18-APR-2024	27-MAY-2024	39	123596	OK	933	224672	215667177800	224670.00	11-JUN-2024

**Important Message**

30 OCT 2024

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक दिल नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (फ्रीली भी सहायता / जानकारी के लिए: 1916 बर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)**Delhi Jal Board  
Bill Payment Counter Foil**Cheque / DD should be drawn in favour of DJB in the following format:  
(सेक्यूरिटी ड्राइव द्वारा भुगतान करने के लिए निम्न फॉर्म का उपयोग करें) DJB KNO

KNO (केएनओ)	2156471000	Name (नाम)	SH MANAV SEVARATH TRUST	Bill No. (बिल संख्या)	215831135592
Bill Date (बिल की तिथि)	29-OCT-2024	Bill Due Date (बिल देय तिथि)	16-NOV-2024	Bill Amount (Rs.) (बिल राशि (₹))	183914
Bill Amount with LPSC (Rs.): 193109 (LPSC के सापेक्ष राशि (₹)):	Payment Date / (भुगतान की तारीख) Amount Paid (Rs.) (राशि का भुगतान (₹))				
					Cash/Cheque No./DD No. (कैश / चेक नंबर / डीडी नं.): (कैश / चेक नंबर / डीडी नं.)
					Name of Bank / Branch (बैंक / शाखा का नाम)



**STOP CORONA:**  
 I. Wear Mask.  
 II. Follow Physical Distancing.  
 III. Maintain Hand Hygiene.

## Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

[www.djb.gov.in](http://www.djb.gov.in)

Regular Water Bill



Catch the Rain

Name(नाम): SH MANAV SEVARTH TRUST  
 Address(पता): A-4/FC-34 G, F, PASCHIM VIHAR, Delhi  
 Mobile No. (मोबाइल): 9811052607  
 Zone/Loc (क्षेत्र / स्थान): NW3 / Kanhaiya Nagar  
 Area Code (रेगिया कोड): A-2  
 MR Code (एमआर कोड): 296/BULK  
 KNO(केनओ): 2156471000

Consumer Category(उपभोक्ता श्रेणी): CAT II  
 Premise Detail (परिसर विवरण): (No of floors-1, No of Borewell-1)  
 Meter No. (मीटर संख्या): 15017227  
 Meter Type (मीटर का प्रकार) (DJB/Pvt): PVT  
 Bill No. (बिल संख्या): 215477052717  
 Bill Cycle(बिल चक्र): ZALL(B8-2024)  
 Bill Basis(बिल आधार): REGULAR

Bill Date(बिल की तिथि)

28-NOV-2024

Bill Amount (Rs.) (बिल राशि (₹))  
 135388

Bill Amount Payable (Rs.) (देय बिल राशि (₹))  
 (Nearest up to Rs. 10) (लगात 10 ₹ तक)  
 135390

Bill Due Date(बिल देय तिथि)  
 16-DEC-2024

Amount Payable After Due Date(Rs.)  
 (देय तिथि के बाद देय राशि (₹))  
 142157

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (बक्स)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (मूलिक)
15017227	KL	28-NOV-2024	127917 / OK	29-OCT-2024	127356 / OK	30	561

**Bill Details: Current Period Charges** (बिल विवरण: वर्तमान अवधि शुल्क) (29-OCT-2024 to 28-NOV-2024)

Applicable Rate Period	Description	Amount(Rs.)
30-OCT-2024 to 28-NOV-2024	Total Consumption Charges	90911.31
30-OCT-2024 to 28-NOV-2024	Sewerage Charge (60 % of Water Consumption Charge)	54546.79
30-OCT-2024 to 28-NOV-2024	Service Charge - Consumption > 100 KL	1317.69
30-OCT-2024 to 28-NOV-2024	Additional Sewerage Maintenance Charge for Hospitals/NH	12500.00
30-OCT-2024 to 28-NOV-2024	Sub Total Bill Amount without Meter Rent	159275.79
30-OCT-2024 to 28-NOV-2024	Discount for WH or WWR(10% of Total Water Bill)	-15927.58
30-OCT-2024 to 28-NOV-2024	Discount for both WH & WWR(5% of Total Water Bill)	-7963.79
30-OCT-2024 to 28-NOV-2024	Subtotal Bill Amount	135388.42
Adjustment Details Are Listed Below		

Arrear, If any (Rs.) (बकाया, यदि कोई (₹))

3.14

Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))

135388

Late Payment Surcharge (Rs.) (देय से भुगतान पर अधिकार) (5% surcharge will be applicable after due date) (देय तिथि के पास 5% अधिकार ताकू दीया)

6769 Amount with LPSC after due date (Rs.)

.38 (देय तिथि के बाद अधिकार के साथ दीया (₹))

142157

**PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.)** (प्राप्त बोनस के लिए देय राशि (₹))

Bill History (पिछला बिल)							Payment History (पिछला भुगतान)		
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
23-SEP-2024	29-OCT-2024	36	127356	OK	783	183914	215289318167	183910.00	14-NOV-2024
30-AUG-2024	23-SEP-2024	24	126593	OK	622	149698	215429557387	149700.00	09-OCT-2024
29-JUL-2024	30-AUG-2024	32	125971	OK	807	194254	215497303394	194250.00	10-SEP-2024
27-JUN-2024	29-JUL-2024	32	125164	OK	794	191142	215739805249	191140.00	14-AUG-2024
27-MAY-2024	27-JUN-2024	31	124370	OK	774	186325	215167912964	186330.00	15-JUL-2024

Important Message

If bill is not paid till Bill Due Date, connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है, कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)



## Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following formal  
 (प्राप्त बोनस द्वारा भुगतान करने के लिए निम्न रूपयोग करें) DJB KNO

KNO(केनओ)	2156471000	Name(नाम)	SH MANAV SEVARTH TRUST	Bill No. (बिल नंबर)	215477052717
Bill Date(बिल की तिथि)	28-NOV-2024	Bill Due Date (बिल देय तिथि)	16-DEC-2024	Bill Amount (Rs.) (बिल राशि (₹))	135388
Bill Amount with LPSC (Rs.): 142157 (LPSC के साथ बिल राशि (₹)):	142157	Payment Date/ (भुगतान की तारीख)		Cash/Cheque No./DD No.:	
Amount Paid(Rs.) (मिला का भुगतान (₹))					(क्रेड / चेक नंबर / डीडी नं. :)
Name of Bank / Branch (बँक / शाखा का नाम)					

29 NOV 2024



**STOP CORONA:**  
 I. Wear Mask.  
 II. Follow Physical Distancing.  
 III. Maintain Hand Hygiene.

## Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

[www.djb.gov.in](http://www.djb.gov.in)

Regular Water Bill



Name(नाम): SH MANAV SEVARTH TRUST  
 Address(पता): A-4/FC-34 G, F, PASCHIM VIHAR, Delhi  
 Mobile No. (मोबाइल): 9811052607  
 Zone/Loc (क्षेत्र / स्थान): NW3 / Kanhaiya Nagar  
 Area Code (एरिया कोड): A-2  
 MR Code (एमआर कोड): 296/BULK  
 KNO(केन्द्रीयो): 2156471000

Consumer Category(उपभोक्ता श्रेणी): CAT II  
 Premise Detail (परिसर विवरण): (No of floors-1, No of Borewell-1)  
 Meter No. (मीटर संख्या): 15017227  
 Meter Type (मीटर का प्रकार) (DJB/Pvt): PVT  
 Bill No. (बिल संख्या): 215827159561  
 Bill Cycle(बिल चक्र): ZALL(B9-2024)  
 Bill Basis(बिल आधार): REGULAR

Bill Date(बिल की तिथि)

31-DEC-2024

Bill Amount (Rs.) (बिल राशि (₹))  
 152003

Bill Amount Payable (Rs.) (देय बिल राशि (₹))  
 (Nearest up to Rs. 10) (लगभग 10 रु. तक)  
 152000

Bill Due Date(बिल देय तिथि)  
 17-JAN-2025

Amount Payable After Due Date (Rs.)  
 (देय तिथि के बाद देय राशि (₹))  
 159603

Meter No (मीटर संख्या)	UoM (मीटर संख्या)	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (कूणि)
15017227	KL	31-DEC-2024	128547 / OK	28-NOV-2024	127917 / OK	33	630

Bill Details: Current Period Charges (बिल विवरण, वर्तमान अवधि शुल्क) (28-NOV-2024 to 31-DEC-2024)

Applicable Rate Period	Amount(Rs.)
29-NOV-2024 to 31-DEC-2024	102268.85
29-NOV-2024 to 31-DEC-2024	61361.31
29-NOV-2024 to 31-DEC-2024	1449.46
29-NOV-2024 to 31-DEC-2024	13750.00
29-NOV-2024 to 31-DEC-2024	178829.62
29-NOV-2024 to 31-DEC-2024	-17882.96
29-NOV-2024 to 31-DEC-2024	-8941.48
29-NOV-2024 to 31-DEC-2024	152005.18
29-NOV-2024 to 31-DEC-2024	
Adjustment Details Are Listed Below	

Arrear, If any (Rs.) (वर्काया, यदि कोई (₹))

-2.44

Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))

152003

Late Payment Surcharge (Rs.) (देय से बुरातान पर अधिभार) (5% surcharge will be applicable after due date) (देय तिथि के बाद 5% अधिभार ताकू जाएगा)

7600 .14 Amount with LPSC after due date (Rs.)

159603

### PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (भुट पोर्ट के लिए देय राशि (₹))

Bill History (रिकार्ड रिपोर्ट)							Payment History (पेयन रिपोर्ट)		
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
29-OCT-2024	28-NOV-2024	30	127917	OK	561	135388	215613503434	135390.00	12-DEC-2024
23-SEP-2024	29-CCT-2024	36	127356	OK	763	183914	215289318167	183910.00	14-NOV-2024
30-AUG-2024	23-SEP-2024	24	126593	OK	622	149696	215429557387	149700.00	09-OCT-2024
29-JUL-2024	30-AUG-2024	32	125971	OK	807	194254	215497303394	194250.00	10-SEP-2024
27-JUN-2024	29-JUL-2024	32	125164	OK	794	191142	215739805249	191140.00	14-AUG-2024

### Important Message

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है, कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (किसी भी समस्या / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)



## Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format  
 (केचे / डीडी ड्रॉ बाटा भुगतान करने के लिए निम्न कार्ड को उपयोग करें) DJB KNO

KNO(केन्द्रीयो)	2156471000	Name(नाम)	SH MANAV SEVARTH TRUST	Bill No. (बिल संख्या)	215827159561
Bill Date(बिल की तिथि)	31-DEC-2024	Bill Due Date (बिल देय तिथि)	17-JAN-2025	Bill Amount (Rs.) (बिल राशि (₹))	152003
Bill Amount with LPSC (Rs.): 159603 (LPSC के साथ बिल राशि (₹)):	Payment Date/ (भुगतान की तारीख)	Amount Paid(Rs.) (राशि का भुगतान (₹))	Cash/Cheque No./DD No.:	(केचे / चेक नंबर / डीडी नं. :)	
				Name of Bank / Branch (बैंक / शाखा का नाम)	

DEC 2024

SH  
11/25

 <b>STOP CORONA:</b> I. Wear Mask. II. Follow Physical Distancing. III. Maintain Hand Hygiene.	<b>Delhi Jal Board (दिल्ली जल बोर्ड)</b> (Government of NCT of Delhi) <a href="http://www.djb.gov.in">www.djb.gov.in</a> Regular Water Bill	 
<b>Name(नाम):</b> SH MANAV SEVARATH TRUST <b>Address(पता):</b> A-4/FC-34 G, F, PASCHIM VIHAR, Delhi <b>Mobile No. (मोबाइल):</b> 9811052607 <b>Zone/Loc (सेत्र / स्थान):</b> NW3 / Kanhaiya Nagar <b>Area Code (प्रैरिया कोड):</b> A-2 <b>MR Code (एमआर कोड):</b> 296/BULK <b>KNO(केएनओ):</b> 2156471000		<b>Consumer Category(उपयोगी श्रेणी):</b> CAT II <b>Premise Detail (परिसर विवरण):</b> (No of floors-1, No of Borewell-1) <b>Meter No. (मीटर संख्या):</b> 15017227 <b>Meter Type (मीटर का प्रकार) (DJB/Pvt):</b> PVT <b>Bill No. (बिल संख्या):</b> 215724086052 <b>Bill Cycle(बिल चक्र):</b> ZALL(B11-2024) <b>Bill Basis(बिल आधार):</b> REGULAR
		<b>Bill Date(बिल की तिथि)</b> 26-FEB-2025 <b>Bill Amount (Rs.) (बिल राशि (₹))</b> 176631 <b>Bill Amount Payable (Rs.) (टेय बिल राशि (₹))</b> (Nearest up to Rs. 10) (लगभग 10 ₹ तक) 176630 <b>Bill Due Date(बिल देय तिथि)</b> 15-MAR-2025 <b>Amount Payable After Due Date(Rs.)</b> (टेय तिथि के बाद देय राशि (₹)) 185463

Meter No (मीटर संख्या)	UoM (मीटर संख्या)	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (चप्पन)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (प्राक्त)
15017227	KL	26-FEB-2025	130005 / OK	29-JAN-2025	129271 / OK	28	734

**Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (29-JAN-2025 to 26-FEB-2025)**

Applicable Rate Period	Description	Amount(Rs.)
30-JAN-2025 to 26-FEB-2025	Total Consumption Charges	121815.85
30-JAN-2025 to 28-FEB-2025	Sewerage Charge (60 % of Water Consumption Charge)	73089.51
30-JAN-2025 to 28-FEB-2025	Service Charge - Consumption > 100 KL	1229.84
30-JAN-2025 to 26-FEB-2025	Additional Sewerage Maintenance Charge for Hospitals/NH	11666.67
30-JAN-2025 to 26-FEB-2025	Sub Total Bill Amount without Meter Rent	207801.87
30-JAN-2025 to 26-FEB-2025	Discount for WH or WWR(10% of Total Water Bill)	-20780.19
30-JAN-2025 to 26-FEB-2025	Discount for both WH & WWR(5% of Total Water Bill)	-10390.09
30-JAN-2025 to 26-FEB-2025	Subtotal Bill Amount	176631.59
Adjustment Details Are Listed Below		

Arrear, If any (Rs.) (बकाया, यदि कोई (₹))	-0.69	
<b>Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))</b>	176631	
<b>Late Payment Surcharge (Rs.) (देर से भुगतान पर अधिकार)</b> (5% surcharge will be applicable after due date)(देर तिथि के बाद 5% अधिकार लागू होगा)	8831 .55 <b>Amount with LPSC after due date (Rs.)</b> (देर तिथि के बाद अधिकार के साथ राशि (₹))	185463

**PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (प्रूट योग्यता के लिए देय राशि (₹))**

Bill History (पिछला बिल)						Payment History (पिछला भुगतान)			
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
31-DEC-2024	29-JAN-2025	29	128271	OK	724	174290	21534390141	174290.00	15-FEB-2025
28-NOV-2024	31-DEC-2024	33	128547	OK	630	152003	215029529910	152000.00	13-JAN-2025
29-OCT-2024	28-NOV-2024	30	127917	OK	561	135368	215613503434	135390.00	12-DEC-2024
23-SEP-2024	29-OCT-2024	36	127356	OK	763	183914	215289318167	183910.00	14-NOV-2024
30-AUG-2024	23-SEP-2024	24	126593	OK	622	148696	215429557387	149700.00	09-OCT-2024

**Important Message**

28 FEB 2025

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)  
For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (सिसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)

	<b>Delhi Jal Board</b> <b>Bill Payment Counter Foil</b>			Cheque / DD should be drawn in favour of DJB in the following format (क्रॉचे / डीडी भुगतान करने के लिए निम्न फॉर्म का उपयोग करें) DJB KNO	
<b>KNO(केएनओ)</b>	2156471000	<b>Name(नाम)</b>	SH MANAV SEVARATH TRUST	<b>Bill No. (बिल संख्या)</b>	215724086052
<b>Bill Date(बिल की तिथि)</b>	26-FEB-2025	<b>Bill Due Date (बिल देय तिथि)</b>	15-MAR-2025	<b>Bill Amount (Rs.) (बिल राशि (₹))</b>	176631
<b>Bill Amount with LPSC (Rs.):</b> (LPSC के साथ बिल राशि (₹)):	185463	<b>Payment Date/ (भुगतान की तारीख)</b>		<b>Cash/Cheque No./DD No.:</b> (क्रॉचे / डीडी नंबर / बीमी नं.):	
			<b>Name of Bank / Branch (बैंक / शाखा का नाम)</b>		

*Shri. Dinesh Kumar*  
28/02/2025



**STOP CORONA:**  
 I. Wear Mask.  
 II. Follow Physical Distancing.  
 III. Maintain Hand Hygiene.

**Delhi Jal Board (दिल्ली जल बोर्ड)**  
 (Government of NCT of Delhi)  
[www.djb.gov.in](http://www.djb.gov.in)  
 Regular Water Bill



**Name(नाम):** SH MANAV SEVARTH TRUST  
**Address(पता):** A-4/FC-34 G, F, PASCHIM VIHAR, Delhi  
**Mobile No. . (मोबाइल):** 9811052607  
**Zone/Loc (क्षेत्र / स्थान):** NW3 / Kanhaiya Nagar  
**Area Code (एरिया कोड):** A-2  
**MR Code (एमआर कोड):** 296/BULK  
**KNO(केन्डो):** 2156471000

**Consumer Category(उपभोक्ता श्रेणी):** CAT II  
**Premise Detail (परिसर विवरण):** (No of floors-1, No of Borewell-1)  
**Meter No. (मीटर संख्या):** 15017227  
**Meter Type (मीटर का प्रकार) (DJB/Pvt):** PVT  
**Bill No. (बिल संख्या):** 215021372975  
**Bill Cycle(बिल चक्र):** ZALL(B12-2024)  
**Bill Basis(बिल आधार):** REGULAR

**Bill Date(बिल की तिथि)**  
 26-MAR-2025

**Bill Amount (Rs.) (बिल राशि (₹))**  
 163491

**Bill Amount Payable (Rs.) (देग बिल राशि (₹))**  
 (Nearest up to Rs. 10) (साप्तम 10 ही तक)  
 163490

**Bill Due Date(बिल देय तिथि)**  
 14-APR-2025

**Amount Payable After Due Date(Rs.)**  
 (देय तिथि के बाद देय राशि (₹))  
 171666

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (प्रूपित)
15017227	KL	26-MAR-2025	130684 / OK	26-FEB-2025	130005 / OK	28	679

**Bill Details: Current Period Charges** (बिल विवरण: वर्तमान अवधि शुल्क) (26-FEB-2025 to 26-MAR-2025)

Applicable Rate Period	Description	Amount(Rs.)
27-FEB-2025 to 26-MAR-2025	Total Consumption Charges	112152.90
27-FEB-2025 to 26-MAR-2025	Sewerage Charge (60 % of Water Consumption Charge)	67291.74
27-FEB-2025 to 26-MAR-2025	Service Charge - Consumption > 100 KL	1229.84
27-FEB-2025 to 26-MAR-2025	Additional Sewerage Maintenance Charge for Hospitals/NH	11666.67
27-FEB-2025 to 26-MAR-2025	Sub Total Bill Amount without Meter Rent	192341.15
27-FEB-2025 to 26-MAR-2025	Discount for WH or WWR(10% of Total Water Bill)	-19234.12
27-FEB-2025 to 26-MAR-2025	Discount for both WH & WWR(5% of Total Water Bill)	-9617.06
27-FEB-2025 to 26-MAR-2025	Subtotal Bill Amount	163489.97
Adjustment Details Are Listed Below		

<b>Arrear, If any (Rs.) (बकाया, यदि कोई (₹))</b>	0.90
<b>Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))</b>	163491
<b>Late Payment Surcharge (Rs.) (देय से बुगतान पर अधिभार)</b> (5% surcharge will be applicable after due date) (देय तिथि के बाद 5% अधिभार साधू होगा)	8174

**Amount with LPSC after due date (Rs.)**

(देय तिथि के बाद अधिभार के साथ राशि (₹))

171666

**PAYABLE AMOUNT TO AVAL REBATE SCHEME (Rs.) (प्रदान करने के लिए देय राशि (₹))**

Bill History (विल इतिहास)						Payment History (रिजल्यू भुगतान)			
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
29-JAN-2025	26-FEB-2025	28	130005	OK	734	176631	215575115509	176630.00	12-MAR-2025
31-DEC-2024	29-JAN-2025	29	129271	OK	724	174290	215343490141	174290.00	15-FEB-2025
28-NOV-2024	31-DEC-2024	33	128547	OK	630	152003	215029529910	152000.00	13-JAN-2025
29-OCT-2024	28-NOV-2024	30	127917	OK	561	135368	215613503434	135390.00	12-DEC-2024
23-SEP-2024	29-OCT-2024	36	127356	OK	763	183914	215289318167	183910.00	14-NOV-2024

**Important Message**

If bill is not paid till Bill Due Date- connection may be disconnected (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)



**Delhi Jal Board**  
**Bill Payment Counter Foil**

Cheque / DD should be drawn in favour of DJB in the following format  
 (प्रेस / चेक अपार द्वारा भुगतान करने के लिए बिल पारेट का उपयोग करें) DJB KNO

KNO(बिल संख्या)	2156471000	Name(नाम)	SH MANAV SEVARTH TRUST	Bill No. (बिल संख्या)	215021372975
Bill Date(बिल की तिथि)	26-MAR-2025	Bill Due Date (बिल देय तिथि)	14-APR-2025	Bill Amount (Rs.) (बिल राशि (₹))	163491
Bill Amount with LPSC (Rs.): 171666	Payment Date/ (भुगतान की तारीख)	Amount Paid(Rs.) (विल का भुगतान (₹))		Cash/Cheque No./DD No.:(प्रेस / चेक नंबर / डीडी नं. :)	
(LPSC के साथ बिल राशि (₹)):					

Name of Bank / Branch (बैंक / शाखा का नाम)

18 MAR 2025

*Biju  
18/3/25*



**Annexure-XI**  
**Copy of STP LOG Book**

Shri Balaji Action Medical Institute  
Paschim Vihar, Delhi.

Star Water Solutions

Date: 10/2/11

Sewage Treatment Plant: 600 KLD

Time	Sewage Transfer Pump			Sludge Recycling Pump			Air Blower			Hypo Dosing Pump			Filter Feed Pump			Screw Pump			Press			Filter System			Ultra-Violet Water Transfer Pump			Flushing Water Pump			Multi-Grade Filter			Activate Carbon Filter			Ultra Filtration Feed Pump			Ultra Filtration			Reverse Osmosis		
	STP-1	STP-2	STP-1	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-1	PP	UV	FWTP	MGF	ACF	UFP-1	UFP-2	UF	RO																							
7:00	ON	—	—	ON	—	—	ON	—	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	ON	—	—	ON	—	—	—	—	—	—	—	—											
8:00	—	ON	ON	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	—	—	—	—	—	—	—	—	—	—											
9:00	ON	—	—	ON	ON	—	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	—	—	—	—	—	—	—	—	—	—											
10:00	—	ON	—	—	—	—	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
11:00	ON	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
12:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
13:00	ON	—	—	ON	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
14:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
15:00	ON	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
16:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
17:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
18:00	—	ON	—	—	—	ON	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
19:00	ON	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
20:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
21:00	ON	—	—	—	—	ON	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
22:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
23:00	ON	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
0:00	—	ON	ON	—	—	ON	ON	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
1:00	ON	—	—	ON	ON	—	—	ON	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
2:00	—	ON	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
3:00	ON	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
4:00	—	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
5:00	—	—	—	—	—	ON	—	—	ON	ON	—	ON	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										
6:00	—	ON	—	—	—	ON	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	—	—	—	—	ON	ON	ON	ON	—	—	—	—	—	—	—	—	—										

## Client Signature

Shrivardhan

## Flow Meter Reading

Meter	Previous	Present	Consumption	Operation Shift	Sign
Inlet	1011A93	1011607	264 KL	Shift A	RO
Outlet	918885	909010	133 KL	Shift B	RO

## Remarks

## Star Water Solutions

Shri Balaji Action Medical Institute  
Paschim Vihar, Delhi.

Date: 3/11/24

Sewage Treatment Plant: 600 KLD

LOG BOOK

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower		Hypo Dosing Pump		Filter Feed Pump		Screw Pump		Filter Press		Ultra-Violet System		Flushing Water Transfer Pump		Multi Grade Filter		Activate d Carbon Filter		Ultra Filtration Feed Pump		Ultra Filtration		Reverse Osmosis	
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-1	FP	UV	FWTP	MGF	ACF	UPF-1	UPF-2	UF	RO							
7:00	ON	-	-	-	ON	-	-	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
8:00	-	-	ON	-	-	-	-	ON	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
9:00	ON	-	-	ON	-	-	-	-	ON	ON	ON	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
10:00	-	-	ON	-	-	ON	ON	-	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
11:00	ON	-	-	-	ON	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
12:00	-	-	ON	-	-	-	-	-	ON	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
13:00	ON	-	-	ON	-	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
14:00	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
15:00	ON	-	-	-	ON	-	-	ON	ON	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
16:00	-	-	ON	-	-	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
17:00	ON	-	-	-	-	ON	-	ON	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-	-	-	
18:00	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
19:00	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
20:00	-	-	ON	-	-	-	ON	-	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21:00	-	-	-	-	-	ON	-	ON	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22:00	ON	-	-	-	-	ON	-	ON	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23:00	-	-	ON	-	-	-	ON	-	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0:00	-	-	-	-	-	-	-	-	ON	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1:00	ON	-	-	-	-	ON	-	-	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2:00	-	-	ON	-	-	-	ON	-	ON	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3:00	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4:00	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5:00	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6:00	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

## Flow Meter Reading

Meter	Previous	Present	Consumption
Inlet	1019445	1019623	178 lcc
Outlet	923361	923368	104 lcc

Operation Shift  
Shift - A  
Shift - B  
Shift - C

Sign  
✓

Sign  
✓

Sign  
✓

## Remarks

✓

## Star Water Solutions

Shri Balaji Action Medical Institute  
Paschim Vihar, Delhi.

Sewage Treatment Plant - 600 KLD

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower			Hypo Dosing Pump		Filter Feed Pump		Screw Pump		Filter Press		Ultra-Violet System		Flushing Pump		Water Transfer Pump		Multi Grade Filter		Activate d Carbon Filter		Ultra Filtration Feed Pump		Ultra Filtration		Reverse Osmosis	
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-1	FP	UV	FWTP	MGF	ACF	UFP-1	UFP-2	UF	RO										
7:00	OFF	-	-	-	-	-	-	OFF	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
8:00	-	OFF	OFF	-	-	-	OFF	-	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
9:00	OFF	-	-	-	OFF	-	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
10:00	-	OFF	-	-	-	OFF	-	OFF	-	OFF	-	-	-	-	OFF	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
11:00	OFF	-	-	-	-	-	OFF	-	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
12:00	-	OFF	OFF	-	-	-	OFF	-	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
13:00	OFF	-	-	-	-	-	OFF	-	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
14:00	-	OFF	-	-	-	-	OFF	OFF	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
15:00	OFF	-	-	-	-	-	OFF	OFF	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
16:00	-	OFF	-	-	-	-	OFF	OFF	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
17:00	-	-	-	-	-	-	OFF	OFF	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
18:00	-	-	-	-	-	-	OFF	OFF	OFF	-	-	-	-	OFF	-	OFF	OFF	OFF	-	-	-	-	OFF	OFF	OFF	OFF	OFF	OFF			
19:00	ON	-	-	-	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-			
20:00	-	ON	-	-	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-			
21:00	ON	-	ON	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
22:00	-	ON	-	ON	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
23:00	ON	-	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
0:00	-	ON	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
1:00	ON	-	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
2:00	-	ON	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
3:00	-	-	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
4:00	-	-	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
5:00	-	-	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			
6:00	ON	-	-	-	-	-	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	-	-	-	-	ON	ON	ON	ON	ON	ON			

## Flow Meter Reading

Meter	Previous	Present	Consumption
Inlet	1019623	1019869	236 kL
Outlet	923368	923475	107 kL

## Operation Shift

## Sign

Backwash	Shift A	Shift B	Shift C	General	Shift - A	Shift - B	Shift - C
MGF	RSPM	90PM	90PM	90PM	90PM	90PM	90PM
ACF	25PM	25PM	25PM	25PM	25PM	25PM	25PM

10:00 AM  
10:00 AM

## Remarks

## LOG BOOK

Shri Balaji Action Medical Institute  
Paschim Vihar, Delhi.

Date: 30-11-2024

Sewage Treatment Plant - 600 KLD

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower			Hypo Dosing Pump			Filter Feed Pump		Screw Pump		Filter Press		Ultra-Violet System		Ultra-Water Transfer Pump		Multi-Grade Filter		Activate Carbon Filter		Ultra Filtration Feed Pump		Ultra Filtration		Reverse Osmosis	
Hours	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-2	SP-3	SP-4	FP	UV	FWTP	MGF	ACF	UFP-1	UFP-2	UF	RO	Flushing	Water	Grade	Filter	Reverse Osmosis		
7:00	ON	-	-	-	ON	-	-	ON	ON	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
8:00	-	ON	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
9:00	-	-	ON	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
10:00	-	-	-	ON	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
11:00	-	ON	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
12:00	ON	-	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
13:00	-	ON	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
14:00	-	-	ON	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
15:00	-	-	-	ON	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
16:00	-	-	ON	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
17:00	ON	-	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
18:00	-	ON	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
19:00	-	-	ON	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
20:00	ON	-	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
21:00	-	ON	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
22:00	-	-	-	ON	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
23:00	ON	-	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
0:00	-	-	ON	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
1:00	-	-	-	ON	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
2:00	-	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-				
3:00	-	-	-	ON	-	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-				
4:00	ON	-	-	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
5:00	-	-	-	ON	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			
6:00	-	-	ON	-	-	ON	-	ON	-	-	ON	-	-	-	-	ON	ON	ON	ON	ON	ON	-	-	-	-	-	-			

## Client Signature

Meter	Previous	Present	Consumption
Inlet	1027015	1027296	281 KL
Outlet			

Backwash	Shift A	Shift B	Shift C	General	Operation Shift	Sign
MGF	25 min	25 min	25 min		Shift - A	Shivam
ACF	25 min	25 min	25 min		Shift - B	Nitin

Ran

## Remarks

## Sewage Treatment Plant - 600 KLD

Time	Sewage Transfer Pump		Sludge Recycling Pump		Air Blower		Hypo Dosing Pump		Filter Feed Pump		Screw Pump		Filter Press		Ultra-Violet System		Electro-Chlorination System		Multi Grade Filter		Activated Carbon Filter		Ultra Filtration Feed Pump		Ultra Filtration		Reverse Osmosis
Hours	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-1	FP	UV	FVTP	ON	ON	ON	ON	ON	ON	ON	ON	UFP-1	UFP-2	UF	RO
7:00	ON	-	-	-	ON	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	ON	-	-	-	-
8:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
9:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
10:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
11:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
12:00	ON	-	-	-	ON	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	ON	-	-	-	-
13:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
14:00	ON	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
15:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
16:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
17:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
18:00	-	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
19:00	ON	-	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
20:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
21:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
22:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
23:00	ON	-	-	-	ON	-	-	ON	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	ON	-	-	-	-
0:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
1:00	ON	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
2:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
3:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
4:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
5:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-
6:00	-	-	-	-	ON	-	-	ON	-	ON	-	ON	-	ON	-	ON	-	ON	ON	ON	ON	ON	ON	-	-	-	-

Client Signature -

Flow Meter Reading

Meter	Previous	Present	Consumption
inlet	1027530	1027296	284
Outlet			

Operation Shift Sign

Shift - A

Shift - B

Shift - C

Backwash Shift A Shift B Shift C General

MGF 25m 25m 25m 25m

ACF 25m 25m 25m 25m

Remarks

Date: 30/12/24

Sewage Treatment Plant - 600 KLD

Time	Sewage Treatment Pump				Sludge Recycling Pump				All Number				Hypod. Dosing Pump	Filter Feed Pump	Sewage Pump	Water Pump	Ultra-Violet System		Ozone Water Treatment Pump	Multi Grid Filter	Activated Carbon Filter	Ultra Filtration Feed Pump	Ultra Filtration Pump	Reverse Osmosis
	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-2	IP	UV	FWTP	MGF	ACF	UF-1	UF-2	UF	RO			
07:00	—	—	On	—	On	On	—	—	—	On	On	—	—	—	—	—	—	—	—	—	—	—		
08:00	—	—	On	—	—	—	On	—	—	On	—	—	—	—	—	—	—	—	—	—	—	—		
09:00	On	—	On	—	On	—	On	—	—	On	On	—	On	—	On	On	—	—	—	—	—	—		
10:00	—	On	—	On	On	—	—	On	—	On	On	—	On	—	On	—	—	—	—	—	—	—		
11:00	—	—	On	—	—	—	On	—	—	On	—	—	On	—	On	—	—	—	—	—	—	—		
12:00	On	—	On	—	On	—	On	—	—	On	—	—	On	—	On	On	—	—	—	—	—	—		
13:00	—	—	On	—	On	—	On	—	—	On	On	—	On	—	On	—	—	—	—	—	—	—		
14:00	—	—	On	—	On	—	On	—	—	On	—	—	On	—	On	—	—	—	—	—	—	—		
15:00	—	—	On	—	—	On	—	On	—	On	On	—	On	—	On	—	—	—	—	—	—	—		
16:00	On	—	On	—	—	On	—	On	—	On	On	—	On	—	On	—	—	—	—	—	—	—		
17:00	—	On	—	On	—	—	On	—	—	On	On	—	On	—	On	—	—	—	—	—	—	—		
18:00	—	—	On	—	—	On	—	On	—	—	On	—	—	On	—	On	—	—	—	—	—	—		
19:00	On	—	—	—	On	—	—	On	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
20:00	—	On	—	On	—	On	—	On	—	On	—	On	—	On	—	On	—	—	—	—	—	—		
21:00	On	—	On	—	—	On	—	—	On	On	—	On	—	On	—	On	—	—	—	—	—	—		
22:00	—	On	—	On	On	—	—	On	—	On	—	—	—	—	On	—	On	—	—	—	—	—		
23:00	On	—	On	—	—	On	—	On	On	—	—	—	—	—	On	—	On	—	—	—	—	—		
00:00	—	On	—	On	—	On	—	On	—	On	—	On	—	On	—	On	—	—	—	—	—	—		
01:00	On	—	On	—	On	—	On	—	—	On	—	On	—	On	—	On	—	—	—	—	—	—		
02:00	—	On	—	On	—	On	—	On	—	On	—	On	—	On	—	On	—	—	—	—	—	—		
03:00	On	—	On	—	—	On	—	—	On	—	—	On	—	—	On	—	—	—	—	—	—	—		
04:00	—	On	—	On	—	—	On	—	—	On	—	—	On	—	On	—	On	—	—	—	—	—		
05:00	On	—	On	—	—	On	—	On	—	On	—	—	On	—	On	—	On	—	—	—	—	—		
06:00	—	On	—	On	—	On	—	On	—	On	On	—	On	—	On	—	On	—	—	—	—	—		

Client Signature

Flow Meter Reading

Meter	Previous	Present	Consumption
Inlet	1033828	1034020	222240
Outlet	926935	927174	23940

Operation Shift	Shift - A	Shift - B	Shift - C	General
Backwash	Shift - A	Shift - B	Shift - C	Shift - A
MGF	Shift - A	Shift - B	Shift - C	Shift - A
30 min	30 min	30 min	30 min	30 min

Operation Shift	Shift - A	Shift - B	Shift - C	Sign
Shift - A	On	On	On	NITISH
Shift - B	On	On	On	DEEPMALA
Shift - C	On	On	On	DEEPMALA

Remarks

Initial of number not found. If P. No. not marked



Date: 31/11/25

Hastini Water (Pvt) Ltd.

Time	Sewage Treatment Pump		Sludge Recycling Pump		Air Blower		Hydro Dosing Pump		Filter Feed Pump		Screen Pump		Filter Press		Ultra-Violet System		Wastewater Treatment Pump		Multi-Grade Filter		Activated Carbon Filter		Ultra Filtration Feed Pump		Ultra Filtration		Reactive Chemical	
Hours	STP-1	STP-2	SRP-1	SRP-2	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-2	FP	UV	FWTP	MGF	ACF	UFP-1	UFP-2	UF	RO							
07:00	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
08:00	ON	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
09:00	-	ON	ON	ON	-	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
10:00	-	-	-	-	-	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
11:00	-	-	-	-	-	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
12:00	-	-	-	-	-	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
13:00	-	ON	-	ON	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
14:00	-	ON	-	ON	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
15:00	ON	-	ON	-	ON	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
16:00	-	ON	-	ON	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
17:00	ON	-	ON	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
18:00	-	ON	-	ON	-	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
19:00	ON	-	ON	-	ON	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
20:00	-	ON	-	ON	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
21:00	ON	-	ON	-	ON	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
22:00	-	ON	-	ON	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
23:00	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
00:00	OK	-	OK	-	OK	-	-	OK	-	-	OK	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
01:00	-	OK	-	OK	-	-	-	OK	-	-	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK		
02:00	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
03:00	OK	-	OK	-	OK	-	-	ON	-	-	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK		
04:00	-	OK	-	OK	-	-	-	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK		
05:00	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		
06:00	ON	-	ON	-	ON	-	-	ON	-	-	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON		

Client Signature

Flow Meter Reading

Operation Shift

Sign

Shift - A

Shift - B

Shift - C

Remarks

A

1045019  
1045204  
1933400  
933243  
933418  
175RHDMeter  
Inlet  
OutletBackwash Shift A  
Rush Shift Shift B  
MGF Shift Shift C  
ACF Shift Shift D  
Booster Shift Shift E

passchim Vihār

passchim Vihār

**Shri Balaji Action Balaji Medical Institute  
Paschim Vihar, Delhi.**

Backwash	Shift - A	Shift - B	Shift - C	General
MGF	50000	50000	50000	
ACF	30000	30000	30000	
SWING	30000	30000	30000	

### Remarks

Date: 1/3/25

Date: 1/3/25

Sewage Treatment Plant - 600 KLD

三

Water Meter Number	Flow Meter Reading
1049542	1049841

938986 939247288 44

Backwash	Shift-A	Shift-B	Shift-C	General
MGF	Johnson	Johnson	Johnson	
ACF	Johnson	Johnson	Johnson	

Shift - A	Shift - B	Shift - C
N	T	S

Date: 31-03-2023

Sewage Treatment Plant - 600 KLD

Time	Sewage Treatment Pump				Air Blower				Waste Water Pump				Sewage Treatment Pump				Sewage Treatment Plant				Ultra Filtration				
	STP-1	STP-2	STP-3	STP-4	AB-1	AB-2	AB-3	HDS	FPP-1	FPP-2	SP-1	SP-2	FP	UV	Filter Press	UV-1	UV-2	UF-1	UF-2	UF	RO	UV	UV	UV	
07:00	ON	-	ON	-	ON	-	-	-	-	-	-	-	-	-	ON	ON	ON	-	-	-	ON	-	-	-	
08:00	-	ON	-	ON	-	ON	-	ON	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	-	-	
09:00	ON	-	-	ON	-	-	-	-	-	-	-	-	-	-	ON	ON	ON	ON	ON	ON	ON	-	-	-	
10:00	-	ON	-	-	ON	-	-	-	-	-	-	-	-	-	ON	ON	ON	ON	ON	ON	ON	-	-	-	
11:00	ON	1	ON	1	ON	1	1	ON	1	1	1	1	1	1	ON	1	1	1	1	1	1	ON	1	1	1
12:00	-	ON	-	ON	-	ON	-	ON	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
13:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
14:00	-	ON	1	ON	1	1	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
15:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
16:00	-	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
17:00	ON	2	ON	-	-	ON	-	ON	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
18:00	-	ON	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
19:00	ON	1	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
20:00	-	ON	2	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
21:00	-	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
22:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
23:00	-	ON	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
00:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
01:00	-	ON	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
02:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
03:00	-	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
04:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
05:00	-	ON	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON
06:00	ON	-	-	ON	-	-	ON	-	-	-	-	-	-	-	ON	-	-	ON	ON	ON	ON	-	ON	ON	ON

Operation Shift

Sign

Shift - A

Shift - B

Shift - C

General

Client Signature

H. S. Dinesh

Date: 31-03-2023

Flow Meter Reading

Backwash

Shift - A

Shift - B

Shift - C

General

General

General

General

General

Remarks

**Annexure-XXX**  
**Photograph of STP**





**Annexure-VIKK**

**Environmental Monitoring Reports**



TC-15493

**TEST REPORT**

**Issued to**

**M/s Action Cancer Hospital**  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No. : ELPL/IV/QF/20  
Amend. No. & Amend. Date : 02& 17.02.2018  
**Lab Reference No.** : 250313003 W  
**Issue Date** : 18/03/2025  
**Your Reference** : Email

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Drinking Water sample was collected from Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 13/03/2025.

<b>Type of sample</b>	: Drinking Water	<b>Sample Registration Date</b>	: 13/03/2025
<b>Sampling Date</b>	: 13/03/2025	<b>Analysis Starting Date</b>	: 13/03/2025
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 18/03/2025
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: Reception Area	<b>Sampling Method</b>	: ELPL/III/SOP/20

**Test Result**

Page 1 of 2

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.23	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	119	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.1)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium (as Ca)	mg/l	26	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl <sub>2</sub> )	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride (as Cl)	mg/l	11.6	250	1000	IS 3025 (Pt-32)
12	Fluoride (as F)	mg/l	BDL (DL0.01)	1.0	1.5	APHA 23 <sup>rd</sup> Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate (as NO <sub>3</sub> )	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate (as SO <sub>4</sub> )	mg/l	57	200	400	IS 3025 (Pt-24)
17	Sulphide (as H <sub>2</sub> S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	50	200	600	IS 3025 (Pt-23)
19	Total Hardness (as CaCO <sub>3</sub> )	mg/l	95	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 <sup>rd</sup> Ed.3120B
22	Barium (as Ba)	mg/l	BDL(DL 0.1)	0.7	No relaxation	APHA23 <sup>rd</sup> Ed.3120B

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)



TC-15493

## TEST REPORT

### Issued to

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No. ELPL/IV/QF/20 Amend. No. & Amend.  
Date : 02& 17.02.2018  
Lab Reference No. 250313003 W  
Issue Date 18/03/2025  
Your Reference Email

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Drinking Water sample was collected from Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 13/03/2025.

Type of sample	: Drinking Water	Sample Registration Date	: 13/03/2025
Sampling Date	: 13/03/2025	Analysis Starting Date	: 13/03/2025
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/03/2025
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Reception Area	Sampling Method	: ELPL/III/SOP/20

### Test Result

Page 2 of 2

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 <sup>rd</sup> Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 <sup>rd</sup> Ed.3120B
25	Iron (as Fe)	mg/l	BDL (DL0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium (as Mg)	mg/l	7.3	30	100	APHA 23 <sup>rd</sup> Ed.3500B
27	Manganese (as Mn)	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 <sup>rd</sup> Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 <sup>rd</sup> Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (DL 0.01)	0.02	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B

\*\*\*\*\*END OF REPORT\*\*\*\*\*

BDL: Below Detection Limit  
DL: Detection Limit

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)



TC-15493

## TEST REPORT

### Issued to

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No. ELPL/IV/QF/20 Amend. No. & Amend.  
Date : 02& 17.02.2018  
Lab Reference No. 250313003 W  
Issue Date 18/03/2025  
Your Reference Email

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Drinking Water sample was collected from Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 13/03/2025.

Type of sample	: Drinking Water	Sample Registration Date	: 13/03/2025
Sampling Date	: 13/03/2025	Analysis Starting Date	: 13/03/2025
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/03/2025
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Reception Area	Sampling Method	: ELPL/III/SOP/20

### Test Result

Page 2 of 2

S. No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 <sup>rd</sup> Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 <sup>rd</sup> Ed.3120B
25	Iron (as Fe)	mg/l	BDL (DL0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium (as Mg)	mg/l	7.3	30	100	APHA 23 <sup>rd</sup> Ed.3500B
27	Manganese (as Mn)	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 <sup>rd</sup> Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 <sup>rd</sup> Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL 0.001)	0.003	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL 0.005)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL0.001)	0.001	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (DL 0.01)	0.02	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 <sup>rd</sup> Ed.3120B

\*\*\*\*\*END OF REPORT\*\*\*\*\*

BDL: Below Detection Limit  
DL: Detection Limit

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)



TC-15493

### TEST REPORT

**Issued to**

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No. Amend. No. & Amend.  
ELPL/IV/QF/20 Date : 02 & 17.02.2018  
**Lab Reference No.** : 250313006 S  
**Issue Date** : 18/03/2025  
**Your Reference** : Email

(Page 1 of 1)

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Soil sample was collected from Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 13/03/2025.

Type of sample	: Soil	Sample Registration Date	: 13/03/2025
Sampling Date	: 13/03/2025	Analysis Starting Date	: 13/03/2025
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/03/2025
Quantity received	: 1 Kg approx.	Tests Required	: Mentioned below
Sample's Location	: Near By ACH Backside Area	Sampling Method	: Grab Method

### Test Result

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.09	IS 2720 (P-26)
2	Conductivity (1:5)	µmhos/cm	407	IS14767:2000
3	Bulk Density	gm/cc	1.32	ELPL/III/SOP/40
4	Chloride as Cl	mg/kg	517	ELPL/III/SOP/46
5	Calcium as Ca	mg/kg	6028	ELPL/III/SOP/42
6	Magnesium as Mg	mg/kg	724	ELPL/III/SOP/43
7	Organic matter	%	0.50	IS 2720(P-22)
8	Phosphorous	mg/kg	79	ELPL/III/SOP/47
9	Moisture	%	18.2	ELPL/III/SOP/53
10	Sulphate	mg/kg	132	IS 3025 (P-24)
11	Iron	mg/kg	46	USEPA 6010C:2000
12	Lead	mg/kg	BDL(DL-2.0)	USEPA 6010C:2000

\*\*\*\*\*END OF REPORT\*\*\*\*\*

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)





TC-15493

**TEST REPORT**

Issued to

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No. : ELPL/IV/QF/20  
Amend. No. & Amend. Date : 02 & 17.02.2018  
Lab Reference No. : 250313004 W  
Issue Date : 18/03/2025  
Your Reference : Email

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063

**Sample Particulars:** Waste Water sample was collected from Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 13/03/2025.

Type of sample	: STP Inlet Water	Sample Registration Date	: 13/03/2025
Sampling Date	: 13/03/2025	Analysis Starting Date	: 13/03/2025
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/03/2025
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant	Sampling Method	: ELPL/III/SOP/20

**Test Results**

Page 1 of 1

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	6.88	IS 3025 (P-11)
2	Oil and grease	mg/l	17	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	205	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	660	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	114	IS 3025 (P-17)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)





TC-15493

**TEST REPORT**

**Issued to**

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

**Doc No.** : ELPL/IV/QF/20  
**Amend. No. & Amend. Date** : 02 & 17.02.2018  
**Lab Reference No.** : 250313005 W  
**Issue Date** : 18/03/2025  
**Your Reference** : Email

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Waste Water sample was collected from Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 13/03/2025.

<b>Type of sample</b>	: STP Outlet Water	<b>Sample Registration Date</b>	: 13/03/2025
<b>Sampling Date</b>	: 13/03/2025	<b>Analysis Starting Date</b>	: 13/03/2025
<b>Sampling Done by</b>	: Lab representative	<b>Analysis Completion Date</b>	: 18/03/2025
<b>Quantity received</b>	: 2 Ltr approx.	<b>Tests Required</b>	: Mentioned below
<b>Sample's Location</b>	: STP Plant	<b>Sampling Method</b>	: ELPL/III/SOP/20

**Test Results**

Page 1 of 1

S.No.	Test Parameters	Units	Results	As Per EP Rules, 1986, Max	Test Method
1	pH	-	7.08	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	3.0	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	5.6	20	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	60	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	28	50	IS 3025 (P-17)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)





TC-15493

## TEST REPORT

### Issued to

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No.  
ELPL/IV/QF/20

Amend. No. & Amend.  
Date : 02 & 17.02.2018  
Lab Reference No. : 250313007 A  
Issue Date : 18/03/2025  
Your Reference : Email

(Page 1 of 1)

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Ambient Air Monitoring was done at Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 12/03/2025 to 13/03/2025.

Type of sample	: Ambient Air	Sample Registration Date	: 13/03/2025
Sampling Date	: 12/03/2025 to 13/03/2025	Analysis Starting Date	: 13/03/2025
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/03/2025
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Near By Gate No-1	Sampling Method	: ELPL/III/SOP/21

### Test Result

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM <sub>10</sub>	µg/m <sup>3</sup>	219	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM <sub>2.5</sub>	µg/m <sup>3</sup>	132.4	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO <sub>2</sub>	µg/m <sup>3</sup>	18.5	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO <sub>x</sub>	µg/m <sup>3</sup>	40.4	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m <sup>3</sup>	0.56	002 (08 Hourly)	IS 5182 (Pt-10)

\*\*\*\*\*END OF REPORT\*\*\*\*\*

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)



TC-15493

**TEST REPORT**

**Issued to**

M/s Action Cancer Hospital  
C/o Manav Sevarth Turst at Facility No.34  
Paschim Vihar, Punjabi Bagh, Delhi-110063

Doc No. ELPL/IV/QF/20 Amend. No. & Amend.  
Date : 02 & 17.02.2018  
**Lab Reference No.** : 250313008 N  
**Issue Date** : 18/03/2025  
**Your Reference** : Email

(Page 1 of 1)

**Project Name:** Expansion of 'Action Cancer Hospital' A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063.

**Sample Particulars:** Ambient Noise Monitoring done at Action Cancer Hospital, A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi-110063 on 12/03/2025 to 13/03/2025.

Type of sample	: Ambient Noise	Sample Registration Date	: 13/03/2025
Sampling Date	: 12/03/2025 to 13/03/2025	Analysis Starting Date	: 13/03/2025
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/03/2025
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Near By Gate No-1	Sampling Method	: ELPL/III/SOP/37

**Test Result**

Page 1 of 1

Time	Unit	Leq	Test Method
Day Time(06:00 am to 10:00 pm)	dB(A)	61.8	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	50.2	ELPL/III/SOP/37

**Standards for Ambient Noise  
As per Noise Pollution ( Regulation & Control Rule-2000)**

Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

\*\*\*\*\*END OF REPORT\*\*\*\*\*

\*Leq : It is energy mean of the noise level over a specified period.

Checked By  
(VIKASH KUMAR)

Authorized Signatory  
(PURUSHOTTAM SHARMA)

**Annexure-VIII**

**Copy of the Authorization & agreement for**

**BMW Management**



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

visit us at: <https://dpccocmms.nic.in>

### (AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312

Application No: 6926999

Date:20/04/2022

1. M/s. ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARATH TRUST) an occupier of the facility located at A-4,FC 34 H2 PASCHIM VIHAR 110063 is hereby granted this authorization for Generation, Segregation, Collection, Storage, Transportation, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. Number of beds of HCF : 130
3. Quantity of Biomedical waste handled : 118.40 (Kg/day)
4. This authorization shall be in force for a period of Five Years and valid up to 15/12/2026.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Digitally signed by  
Prem Swarup  
Prem Swarup Pankaj  
Pankaj  
Signature.....  
Designation

### -:-Terms and Conditions:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the Occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

visit us at: <https://dpccocmms.nic.in>

### (AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2022/BMW/NST/AUTH/6977312  
Application No: 6926999 Date:20/04/2022

1. M/s ACTION CANCER HOSPITAL (A UNIT OF MANAV SEVARTH TRUST) an occupier of the facility located at A-4,FC 34 H2 PASCHIM VIHAR 110063 is hereby granted this authorization for Generation, Segregation, Collection, Storage, Transportation, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. Number of beds of HCF : 130
3. Quantity of Biomedical waste handled : 118.40 (Kg/day)
4. This authorization shall be in force for a period of Five Years and valid up to 15/12/2026.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Digitally signed by  
Prem Swarup Pankaj  
Prem Swarup Pankaj  
Date: 2022.04.22  
13:24:05 +05'30'  
Signature.....  
Designation

### -:-Terms and Conditions:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the Occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette

SMS WATER GRACE  
ACH

UC77

INDIA NON JUDICIAL



Government of National Capital Territory of Delhi

e-Stamp

Certificate No. : IN-DL28707794590814U  
Certificate Issued Date : 09-Dec-2022 02:20 PM  
Account Reference : IMPACC (IV) d782403/ DELHI/ DL-DLH  
Unique Doc. Reference : SUBIN-DLDL78240332374438171391U  
Purchased by : SMS WATER GRACE BMW PVT LTD  
Description of Document : Article 5 General Agreement  
Property Description : Not Applicable  
Consideration Price (Rs.) : 0  
(Zero)  
First Party : SMS WATER GRACE BMW PVT LTD  
Second Party : Not Applicable  
Stamp Duty Paid By : SMS WATER GRACE BMW PVT LTD  
Stamp Duty Amount(Rs.) : 10  
(Ten only)

सत्यमेव जपते



Please write or type below this line

This agreement is made and executed at New Delhi on this 20 day of January 2023

BY AND BETWEEN

M/s SMS WATER GRACE BMW PVT. LTD., having its office at Sewage Treatment Plant, Delhi Jal Board Complex, Nilothi, New Delhi- 110041 ( For short hereinafter referred to as 'Service Provider') through its Mr. Prabal Pratap Singh Jaison, Sr. Manager to enter into and sign this agreement for and on behalf of the Service Provider of the ONE PART.

*Prabal*



Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at [www.stampcertification.nic.in](http://www.stampcertification.nic.in). Any discrepancy in the details on this Certificate and as available on the above website shall render this stamp certificate invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy, please inform the Competent Authority.

Medical Superintendent

AND

**ACTION CANCER HOSPITAL** through its Proprietor/Partner/Authorized Representative Mr./Dr. Archana Atreja of the OTHER PART. (For Short hereinafter referred to as "Waste Generator")

The expression of both the parties shall mean and include the parties, their respective legal heirs, successors, legal representatives, administrators, executors and assignees.

Whereas the Service Provider has been selected by Director of Health Services (DHS), Health & Family Welfare, Govt. Of N.C.T. of Delhi and duly authorized by the Delhi Pollution Control Committee (DPCC), under rule of 8(4) of the Bio-Medical Waste (Management & Handling) Rules 2016 for operating and providing facility for the collection, Reception, Treatment, Storage, Transportation and disposal of the bio-Medical Waste. And whereas the Waste Generator is desirous of out sourcing the disposal of its Bio-Medical Waste and have approached the service provider for providing its service in this regard and after discussions and due negotiations taken place, both the parties are agreed to enter into this agreement on the terms and conditions narrated herein after:-

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed to by both parties to the present agreement.

1. That the Waste Generator will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points as per guidelines of Bio-Medical Waste (Management & Handling) Rules 2016 and keep the said packed waste ready for collection by the staff of the Service Provider. The Service Provider will not collect any Bio-Medical waste which is not properly segregate and packed in accordance with guidelines of Bio-Medical Waste (Management & Handling) Rules 2016. The record of the collected waste shall be maintained by the Waste Generator with the acknowledgements signatures of the collection staff of the Service Provider to submit the annual Report to the concern Pollution Board in the prescribed format.
2. That the Waste Generator will deposit N/A Advance payment against the BMW disposal services and if the health care unit is closed before expiration of agreement the Service Provider will refund the balance amount after adjusting all the dues if any outstanding towards the Waste Generator.
3. That the Service Provider will charge to the Waste Generator, being Clinic/Pathological Lab/Diagnostic Centre etc. (Not having bed facilities) and being a Nursing Home/Hospital (Having Bed facilities) as per the following schedule of rates:



(i) Minimum charges of Rs.40,000/- (Rs. FORTY THOUSAND ONLY) + 12% GST per month for clinic/ Labs/ ladies hostels /Diagnostic Center/hospital (Beds 130) subject to a maximum collection of waste up to N/A Extra quantity of waste will be chargeable@ Rs.N/A per Kg. The service tax shall be borne by the Waste Generator upon the respective billings.

(ii) The rates enumerated in clause 3(i) above may be varied at any given point of time due to hike in fuel Price, Wages for Labour negotiation with any unanimous body i.e. DMA/IMA at District or state level or any other factor which may effect the cost.

4. That the waste generator undertakes to make the payment through 'Account Payee Cheque or Demand Draft' in favour of the M/s SMS WATER GRACE BMW PVT. LTD. On before 15<sup>th</sup> day of each successive month and thereafter the interest@ 18% for p.a. shall be Service Provider if the payment is not made within the stipulated period.

5. (a) Notwithstanding the aforesaid terms this agreement may be terminated by either party by giving 30 days written notice. However this requirement of 30 days notice shall not be applicable in the event the service charges are not paid by the Second Party as provided in Clause 6 of this agreement or upon the occurrence of any of events specified in Clause 5b (i) & (ii) in which events the service would be suspended/ terminated forthwith.


(b) Notwithstanding the aforesaid terms and conditions:-

- i. The Service Provider will be at liberty to discontinue this service to the Waste generator in the event: the Waste Generator does not pay the service charges.
- ii. The waste generator and Service Provider both to strictly follow the guidelines of the Bio-Medical Waste (Management & Handling) Rules 2016, during segregation, collection, Transportation and disposal of the bio-Medical Waste except due to the circumstances under force majeure clause and the circumstances beyond their control of the parties.

(c) That upon expiry of the term or the earlier termination of this agreement, the accounts shall be settled and the refundable and interest free Advance deposit referred to in Clause 2 above shall be returned without any interest thereon to the Waste Generator after the circumstance beyond their control of the parties.


6. That all the taxes, such as Contract Sales tax, Service Tax etc., if applicable, shall be paid and borne by the Waste Generator.

*Rehman:*  
Medical Superintendent  
ACTION CANCER HOSPITAL  
In-Part of Manav Seva Trust



The stamp is circular with the text "SMS Water Grace BMW Pvt. Ltd." around the perimeter and "RECEIVED" in the center.


7. The neither party shall transfer and /or assign the rights granted under this agreement without the prior intimation and written permission of the other party and without obtaining a written undertaking by the proposed assignee/transferee agreeing to assume all of the said party 's obligations under this agreement and to abide by all the obligations and covenants contained herein.
8. That this agreement shall be governed by the laws of India and shall be interpreted and construed in accordance with the laws of India and Subject to the jurisdiction of Courts at Delhi, shall have exclusive jurisdiction to try, entertain and dispose between the parties thereto. All the notice, request, demands and other communications, required/permited to be given under this Agreement shall be in writing.
9. That the waste generator should get from time to time the service contract Agreement renewed from the service provider one month before the expiry of the validity of the Agreement. The Waste generator further undertakes to keep the validity period of the agreement for a minimum period of one year from the date of service as per pollution Control Committee/Board Rule and in between if the agreement is cancelled, they should directly intimate pollution control committee / Board with adequate reason about the cancelation of the agreement, failing which, all the consequence and penalties will be borne by the waste generate. Further, The waste generate also undertakes to give one month notice in writing if they want to discontinue the service and wish to switch over to another service provider failing which, they have to pay the service charge equivalent in one month minimum service charges to the service provider in lieu of one monthly notice period.
10. That in case the service contract agreement gets misplaced at the waste generator end, then an additional Rs. 100/- will be charged from the generation of issuing the agreement once again.
11. That the waste generator further undertakes to sign every page of the agreement and return both copies of the agreement to the service provider's signature and the services provider will return the duplicate copy of the agreement to the waste generator. On receipt of the agreement to the Waste generator will submit a copy of the agreement with the date of service expiry to the pollution control committee /board.
12. The term of this Agreement shall be for a period commencing from **01-04-2023 to 31-03-2024.**
13. That in case there is any change in the constitution of waste generator the same shall be informed forth with to the service provider.



14. That both the parties under take to remain bound by the term and conditions set out herein above.

IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THERE SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.

WASTE GENERATOR

  
ATAUTHORIZED SIGNATOR General Superintendent  
ACTION CANCER HOSPITAL  
(A unit of Manav Sevaarth Trust)  
Address: A-4, Paschim Vihar, New Delhi-110063


ACTION CANCER HOSPITAL,  
H-2, A-4, PASCHIM VIHAR,  
NEW DELHI-110063


Email:-


Fax: \_\_\_\_\_

Witness - H.C.E.

1.

  
13/01/2013

  
14/01/23

  
SMS WATER GRACE BMWPL LTD.  
\* \* \* \* \*  
AUTHORISED SIGNATOR  
Sewage Treatment Plant,

Delhi Jal Board Complex

New Delhi-110041


Ph: +91-8744076042

web : [www.smsbmw.in](http://www.smsbmw.in)

Email: [prabal.singh@smstl.co.in](mailto:prabal.singh@smstl.co.in)

Witness:- SMSWGBMWPL

1.

  
8744076043

**Annexure-X**

**Photograph of Separate wet and dry bins**




**Annexure-XII**

**Copy of Traffic circulation plan**




**Annexure-XIII**

**Copy of Green Belt Development Plan**



NOTE :-  
COMPLETION FOR EXISTING BUILDING OBTAINED  
VIDE FILE NUMBER 37/CC/B/E2/07 DATED 31/03/2009  
  
SET BACKS FOR EXISTING BUILDING KEPT AS PER  
BYELAWS PREVAILING AT THAT TIME  
  
SET BACKS FOR PROPOSED BUILDING KEPT AS PER  
MPD 2021

NOTE:-  
THE ENTIRE AREA OF THE BUILDING ON ALL FLOORS IS  
MECHANICALLY VENTILATED AND IS AIR CONDITIONED.



**Annexure-XIV**

**Photographs of Green Belt Development  
Area**



**Annexure-XV**

**Copy of Detailed CER Budget with  
activities**

# MANAV SEVARTH TRUST

FC-34, A-4 Block, Paschim Vihar, New Delhi-110063

Tel. No. 011-42888950, 42888888

4/119

## UNDERTAKING

I, Satyapal S/o Shri Balwant, Authorised signatory of **Manav Sevarth Trust** for the project Expansion of "Action cancer Hospital" at FC-34, Block A-4, Paschim Vihar, Near Paschim Vihar Last Metro Station, New Delhi hereby Solemnly affirm & undertake as under:

That the cost of expansion for project is Rs. 50 cr.

That, the expenditure for Corporate Environment Responsibility (CER) for the above project as per MoEF&CC Office Memorandum no. F.No. 22-65/2017-IA.III dated 01.05.2018 will be 1% of the capital investment on expansion part (Rs. 0.5 crore) of the project.

As per the Office Memorandum some of the activities which can be carried out in CER, are infrastructure creation for drinking water supply, sanitation, health, education, skill development, roads, cross drains, electrification including solar power, solid waste management facilities, scientific support and awareness to local farmers to increase yield of crop and fodder, rain water harvesting, soil and water conservation works, avenue plantation, plantation in community areas, etc.

S. No.	Activity	Provision	Areas	Cost in INR Lakhs					
				1st Year	2nd Year	3rd Year	4th Year	5th Year	Total Cost
1.	Clean drinking water	6 no. Water coolers & tanks (1000 lt.) Fitted with all accessories.	Within 2 km area radius of the hospital subject to land allotted by MCD/DDA	1.0	1.0	1.0	1.0	1.0	5.0
2.	Skill Development	Skill Development for ward boys, Patient care, nurses, maintenance of equipment and admin work by giving training.	Paschim Vihar	6.0	6.0	6.0	6.0	6.0	30.0

Continued


# MANAV SEVARATH TRUST

FC-34, A-4 Block, Paschim Vihar, New Delhi-110063

Tel. No. 011-42888950, 42888888

3.	Education	In today scenario, as the cancer is exponentially rising but with advance technology it is manageable & treatable especially in early stages, hence as health care provider it is now our prime responsibility to create awareness amongst the public about early detection of cancer. Education will be imparted to the general public regarding various symptoms so that cancer can be detected at early stages so that it can be cured also. Lectures will be delivered by our oncologists advising them to lead healthy life style & educating them regarding the side effect of tobacco & Alcohol etc	Paschim Vihar	3.0	3.0	3.0	3.0	3.0	15.0
	Total			10.0	10.0	10.0	10.0	10.0	50.0

Manav Sevarath Trust



Authorised Signatory

**Annexure-XXI**

**Copy of land documents**

**Annexure-XIV**

**Photographs of Green Belt Development  
Area**



**Annexure-XXI**

**Copy of land documents**

DDA  
Papers

214-  
LDP

दिल्ली विकास प्राधिकरण  
Delhi Development Authority

FILE No.: 11 (2023/24)

प्लॉट नं.

Plot No. 11-2

ब्लॉक नं.

Block No. 1

पॉकेट नं.

Pocket No.


सेक्टर नं.

Sector No. 1

SCHEME FOR VILLAGE CENTRE

पूर्ण प्रयोग: NO. 34 AT PASCHIM PURI.

LAND USE IN P.L.P.



क्षेत्र:  
Area: 1.0 Hac. Sq-Yds/Sq-Mts/Acre

मीटर/वर्ग मीटर/एकड़

पटाखारी/वारेंटर  
LESSER/VENDEE

PREPARED BY

दिल्ली विकास प्राधिकरण, नई दिल्ली  
Delhi Development Authority

पटाखारी/वारेंटर वारा  
LESSOR/VENDOR

DDA/PR

MANAV SEVARTH TRUST  
FC-34, A-4, PASCHIM VIHAR  
NEW DELHI-110063

DL-No. 961212-82

Delhi

INSTITUTIONAL

## PERPETUAL LEASE

Sy  
S. S. Dated 18/1/2000  
Sub Register No. 115-1999  
Dated 18/1/2000  
S. S. Name

THIS INDENTURE made this 10<sup>th</sup> day of January, 2001,

one thousand nine hundred and Two Thousand One  
BETWEEN THE PRESIDENT OF INDIA (hereinafter called "the Lessor") of the one  
part and Manav Sevaarth Trust (hereinafter called "the Lessee") through its  
President/Secretary, Shri/Smt Major S. A. Puri,

the Societies Registration Act, 1956, and having its registered office  
at 506 Hemkant Tower, 98, Nehru Place, New Delhi - 19  
(hereinafter called "the Lessee") of the other part.

WHEREAS THE LESSEE HAS applied to the Lessor for the grant of a perpetual  
lease of nazul land and the Lessor has on the faith of the statements and the representation  
made by the Lessee agreed to demise the plot of nazul land hereinafter described and in  
the manner hereinafter appearing.

NOW THIS INDENTURE WITNESSETH that in consideration of the Lessee having  
paid to the Lessor Rs. 1,23,55,200/- (Rs. One Lakh Twenty Three  
Lakhs Fifty Five Thousand Two Hundred and only)

towards premium before the execution of these presents (the receipt whereof the Lessor  
hereby acknowledges) and of the rent hereinafter reserved and of the covenants on the  
part of the Lessee hereinafter contained, the Lessor, doth hereby demise unto the Lessee

ALL THAT plot of nazul land containing by admeasurement an area of 1.12 acres  
or there about situate at Plot No. 4/2

which nazul land is more particularly described in the schedule hereunder written and whose  
boundaries thereof for greater clearness have been delineated on the layout plan annexed  
to these presents and theron coloured red (hereinafter called "the said nazul land")  
TOGETHER with all rights, easements and appurtenances whatsoever to the said nazul  
land belonging or appertaining TO HOLD the premises hereby demised unto the Lessee in  
perpetuity from the 9<sup>th</sup> day of January,

one thousand nine hundred and Ninety Five YIELDING AND PAYING  
therefore the yearly rent payable in advance of Rs. Three Lac Eight Thousand  
(Rupees Lakh Eight Thousand only) upto the day of one thousand nine hundred and  
one thousand nine hundred and thereafter

File No. 33190 dated 21/12/2000

Certified that the instrument is properly  
stamped under section 32 of the Indian stamp  
Act. The stamp is

(2)

@ of 2.5%..... the premium the sum already paid and such other sum or sums hereafter to be paid towards premium under the covenants & conditions hereinafter contained or such other enhanced rent as may hereinafter be assessed under the covenants and conditions hereinafter contained to be paid towards premium under the covenants and conditions hereinafter contained clear of all deductions, by equal half yearly payments on the fifteenth day of January and fifteenth day of July in each year at the Reserve Bank of India, New Delhi, or at such other place as may be notified by the Lessor for this purpose, from time to time the first of such payments to be made on the fifteenth day of..... one thousand nine hundred and ..... and the rent amounting to Rs..... (Rs..... only) from the date of commencement of this lease to the last mentioned date having been paid before the execution of these presents.

Subject always to the exception; reservations, covenant and conditions hereinafter, contained, that is to say as follows;

I. The Lessor excepts and reserves unto himself all mines, minerals, coal, gold-washing, earth oils and quarries in or under the said land and full right and power at all times to do all acts and things which may be necessary or expedient for the purpose of searching for, working, obtaining removing and enjoying the same without providing or leaving any vertical support for the surface of the said land or for any building for the time being standing thereon provided always that the Lessor shall make reasonable compensation to the Lessee for all damage directly occasioned by the exercise of the rights hereby reserved or any of them.

II. The Lessee for himself, successor and assignees covenants with the Lessor in the manner following that is to say;

(1) The Lessee shall pay within such time such additional sum or sums towards premium as may be decided upon by the Lessor on account of the compensation awarded by the Land Acquisition Collector in respect of the said land or any part thereof being enhanced on reference or in appeal or both and the decision of the Lessor in this behalf shall be final and binding on the Lessee.

The yearly rent of T.W.D. 8. Half percent of the premium hereby reserved shall be calculated on the sum received towards premium by the Lessor before the execution of these presents and such additional sum or sums payable towards premium as provided herein from 9th day of January one thousand nine hundred and fifty five.

(2) The Lessee shall pay unto Lessor the yearly rent hereby reserved on the day and in the manner herein appointed.

(3) The Lessee shall not deviate in any manner from the Master Plan for Delhi and the Zonal Development Plans nor alter the size of the said land whether by sub-division amalgamation or otherwise.

(4) The Lessee shall within a period of two years from the 9th days of January one thousand nine hundred and fifty five (and the time so specified shall be of the essence of the contract) after obtaining sanction to the building plan, with necessary designs, plans and specifica-

( 3 )

land and complete in a substantial and workmanlike manner a building for ~~Hospital~~  
.....with the requisite and proper walls, sewers and drain and other conveniences in accordance with the sanctioned building plan and to the satisfaction of such municipal or other authority.

(5) (a) The Lessee shall not sell, transfer, assign or otherwise part with possession of the whole or any part of the said land or any building thereon except with the previous consent in writing of the Lessor which he shall be entitled to refuse in his absolute discretion.

PROVIDED that such consent shall not be given for a period of ten years from the commencement of this lease unless, in the opinion of the Lessor, exceptional circumstances exist for the grant of such consent.

PROVIDED FURTHER that, in the event of the consent being given the Lessor may impose such terms and conditions as he thinks fit and the Lessor shall be entitled to claim and recover the whole or a portion (as the Lessor may in his absolute discretion determine) of the unearned increase in the value (i.e. the difference between the premium paid and the market value) of the said land at the time of sale, transfer, assignment, or parting with the possession and the decision of the Lessor in respect of the market value, shall be final and binding.

PROVIDED FURTHER that the Lessor shall have the pre-emptive right to purchase the property after deducting such percentage as decided by the Lessor of un-earned increase as aforesaid.

(b) Notwithstanding any thing contained in sub-clause (a) above, the Lessee may with the previous consent in writing of the Lt. Governor, of Delhi (hereinafter called "the Lt. Governor") mortgage or charge the said land to such person as may be approved by the Lt. Governor in his absolute discretion.

PROVIDED that, in the event of the sale or fore-closure of the mortgaged or charged property, the Lessor shall be entitled to claim and recover such percentage as decided by the Lessor of the unearned increase in the value, of the said land as aforesaid, and the amount of the Lessor's share of the said unearned increase shall be a first charge, having priority over the said mortgage or charge. The decision of the Lessor in respect of the market value of the said land shall be final and binding on all parties concerned.

PROVIDED FURTHER that the Lessor shall have the pre-emptive right to purchase the mortgaged or charged property after deducting such percentage as decided by the Lessor of the unearned increase as aforesaid.

(6) The Lessor's right to the recovery of the unearned increase and the pre-emptive right to purchase the property as mentioned hereinbefore shall apply equally to an involuntary sale or transfer whether it be by or through an executing or insolvency court.

(7) Whenever the title of the Lessee in the said land is transferred, in any manner whatsoever, the transferee shall be bound by all the covenants and conditions contained herein and be answerable in all respects therefore.

(8) Whenever the title of the Lessee in the said land is transferred in any manner whatsoever the transferor and the transferee shall, within three months of the transfer give notice of such transfer in writing to the Lessor.

The transferee or the person on whom the title devolves at the time of the transfer



supply the Lessor certified copies of the document(s) evidencing the transfer or devolution.

(9) The Lessee shall from time to time and at all times pay and discharge all rates, taxes, charges and assessments of every description which are now or may at any time hereafter during the continuance of this lease be assessed, charged imposed upon the said land hereby demised or on any building to be erected thereupon or on the landlord or tenant in respect thereof.

(10) All arrears of rent and other payments due in respect of the said land hereby demised or any of them shall be recoverable in the same manner as arrears of land revenue.

(11) The lessee shall in all respects comply with and be bound by the building, drainage and other bye-laws of the proper municipal or other authority for the time being in force.

(12) The lessee shall not without sanction or permission in writing of the proper municipal or other authority erect any building or make any alteration or addition to such building on the demised land.

(13) The Lessee shall not without the written consent of the Lessor carry on, or permit to be carried on, on the said land or in any building thereon any trade or business whatsoever or use the same or permit the same to be used for any purpose other than that of ..... *Hospital* .....

..... or do, or suffer to be done therein any act, or thing whatsoever which in the opinion of the Lessor may be nuisance, annoyance or disturbance to the Lessor and persons living in neighbourhood.

PROVIDED that if the Lessee is desirous of using the said land or the building thereon for a purpose other than that of ..... *Hospital* .....

..... the Lessor may allow such charge of user on such terms and conditions including payment of additional premium and additional yearly rent as the Lessor may in his absolute discretion determine.

(14) The Lessee shall at all reasonable times grant access to the said land to the Lt. Governor for being satisfied that the covenants and conditions herein contained have been and are being complied with.

(15) The Lessee shall on the determination of this Lease peaceably yield up the said land and the buildings thereon upon the Lessor.

III. If the sum or sums payable towards the premium or the yearly rent hereby reserved or any part thereof shall at any time be in arrear and unpaid for one calendar month next after any of the days whereon the same shall have become due, whether the same shall have been demanded or not, or if it is discovered that this Lease has been obtained by suppression of any action by any mis-statement, mis-representation or fraud or if there shall have been in the opinion of the Lessor, whose decision shall be final, any breach by the lessee by any person claiming through or under it, or of any of the covenants or conditions herein contained and on its part to be observed or performed, then and in any such case, it shall be lawful for the Lessor, notwithstanding the waiver of any previous cause or right of reentry upon the said land hereby demised and the buildings,

(5)

thereon to re-enter upon and take possession of the said land and the buildings and fixture thereon and thereupon, and everything herein contained shall cease and determine and the Lessor shall be entitled to any compensation what so ever, not to the return of any premium paid by it.

**PROVIDED** that notwithstanding any thing contained herein to the contrary, the Lessor may without prejudice to his right of re-entry as aforesaid, and in his absolute discretion, give notice of common breaches temporarily or otherwise, on receipt of such amount and on such terms and conditions as may be determined by him and may also accept the payment of a sum or sums of the rent which shall be in arrear as aforesaid together with interest at the rate of ten percent per annum or such other rate as the Lessor may in his absolute discretion prescribed from time to time.

IV. No. forfeiture or re-entry shall be effected until the Lessor has served on the Lessee a notice in writing.

(a) specifying the particular breach complained of, and

(b) if the breach is capable of remedy requiring the Lessee to remedy the breach, and the Lessee fails within such reasonable time as may be mentioned in the notice to remedy the breach if it is capable of remedy and in the event of forfeiture or re-entry the Lessor may in his discretion relieve against forfeiture on such terms and conditions as he thinks proper.

Nothing in this clause shall apply to forfeiture or re-entry


(a) for breach of covenants and conditions relating to sub-division or amalgamation erection, completion, the alteration of the size of the said land and transfer of the said land as mentioned in Clause II, or

(b) in case this lease has been obtained by suppression of any fact, mis-statement, mis-representation or fraud.

V. The rent hereby reserved shall be enhanced from the first day of January ~~one thousand~~ and ~~one thousand~~ and ~~Twenty~~ ~~Five~~ and thereafter at the end of each successive period of thirty years provided that increase in the rent fixed at each enhancement shall not at each such time exceed one-half of the increase in the letting value of the site without bldgs., at the date on which the enhancement is due, and such letting value shall be assessed by the Collector or Additional Collector of Delhi as may be appointed by the Lessor.

**PROVIDED ALWAYS** that any such assessment of the letting value for the purpose of this provision shall be subject to the same right on the part of the Lessee of appeal from the orders of the said Collector or Additional Collector and within such time as if the same were an assessment by a Revenue Officer under the Punjab Land Revenue Act 1887 (Act XVII of 1887) or any amending Act, for the time being in force and the proceeding for or in relation to any such appeal shall be in all respects governed by the provisions of the said Act, in the same manner as if the same had been taken thereunder.

VI. In the event of any question, dispute or difference arising under these presents or in connection therewith (except as to any matter the decision of which is specially provided for by these presents) the same shall be referred to the sole arbitration of the Lieutenant Governor or any other person appointed by him. It will be observed that the arbitrator is a Government Servant, and that he has to deal with the matter.



( 6 )

the Lease relates, or that in the course of his duties as a Government Servant he has expressed views on all or any of the matters in dispute or difference. The award of the arbitrator shall be final and binding on the parties.

The arbitrator may, with the consent of the parties, enlarge the time from time to time, for making and publishing the award.

Subject as aforesaid, the arbitration Act, 1940 and the Rules there under and any modifications thereof for the time being in force shall be deemed to apply to the arbitration proceedings under this Clause.

VII. All notices, orders, directions, consents, or approvals to be given under this Lease shall be in writing and shall be signed by such officers as may be authorised by the Lt. Governor and shall be considered as duly served upon the Lessee if the same shall have been delivered at or sent by post to the registered office of the Lessee or any person claiming any right to the said land if the same shall have been affixed to any building or erection whether temporary or otherwise upon the said land or shall have been delivered at or sent by post to the then residence, office or place of business or usual or last known residence, office or place of business of the Lessee or such person.

VIII. All powers exercisable by the Lessor under this lease may be exercised by the Lt. Governor. The Lessor may also authorise any other officer or officers to exercise all or any powers exercisable by him under this Lease.

(b) The Lt. Governor may authorise any officer or officers to exercise all or any of the powers which he is empowered to exercise under this Lease except the powers of the lessor exercisable by him by virtue of sub-clause(a) above.

IX. In this Lease the expression "The Lt. Governor" means the Lt. Governor of Delhi for the time being or in case his designation is changed or his office is abolished, the officer who for the time being is entrusted, whether or not in addition to other functions, with the functions similar to those of the Lt. Governor by whatever designation such officer may be called. The said expression shall further include such officer as may be designated by the Lessor to perform the functions of the Lt. Governor under the Lease.

X. The expression 'the Lessor' herein before used shall where the context so admits include his successors and assigns, and the expressions 'the Lessee' hereinbefore used shall mean the Mangal Sevaarth Trust.

XI. This lease is granted under the Government Grants Act, 1895. (Act. XV of 1895).

IN WITNESS WHEREOF Shri Amritlal Aman Puri

L. A. P. for and on behalf of and by the order and direction of the Lessor has hereunto set his hand and the common seal of the Lessee has hereunto been affixed the day and year above written.



(7)

Signed by Shri.mati Amritा Amrit Kaur  
L.A.O.

for and on behalf of and by the order and  
direction of the President of India (Lessor) in  
the presence of.

(1) Shri SRI. BHAGWAN  
RAJ.

The common seal of the...

(Lessee) is hereby affixed in the presence of  
Shri...

(Name and designation) in pursuance of bye-law  
No. ....

(Lessee)/Resolution No. ....

dt, the .....  
of the managing Committee of the

(Lessee) and the said(a)

Shri....

(1) Shri Ashok Chopra  
151-152 Pocket G-2 Sector 47  
Rohini Delhi-85  
(2) Shri V.K. SUBHAKHRI  
R-8, New Presidnagar, N.D.L.

(THE SCHEDULE ABOVE REFERRED TO)

North .....

South .....

East .....

West .....

ELIMINATE THIS  
PART OF THE FORM

SEAL

Open

For Manav Sevark Trust

Trusted



SEAL

Ashok Chopra

V.K. Subhakri



This document of Perpetual Lease of  
Presented by Sh/Smt. Major S.A. Husi  
S/o/W/o late. Lt. Col. N. Husi  
R/o 206 Hanuman Tower  
to the office of the Sub Registrar, 98 Nehru Place  
New Delhi on this 18 day of January 2000  
between the hours of 10-12 AM  
New Delhi

Sub-Registrar-VII  
New Delhi

18-1-2001

Execution admitted by the said  
Sh/Smt. Major S.A. Husi  
S/o/W/o Vendor (Mortg/Exe)  
has been id ... d by Shri ...  
S ... (Marginal Witness)  
w ocess No ... is known to me. Contents of  
document are known to the parties who  
understand the consideration and admit  
them as parties.

Sub-Registrar-VII  
New Delhi

18-1-2001

Certified that the left or right  
as the case may be hand thumb  
impression of the executant has  
been affixed in my presence.

Sub-Registrar-VII  
New Delhi

18-1-2001

Having Satisfied myself that the document was  
duly executed by Shri Amrit Singh in his  
Official Capacity, his attendance  
signature are appended with and document is  
submitted to register

L.A.O.

D.O.A. New Delhi

Sub-Registrar-VII  
New Delhi

18-1-2001

Registered No. 1200 in additional Book No. I  
Vol. No. 1114 on Pages 92 to 96  
on this 18 day of January 2000  
and left thumb impression has been taken  
in my presence.

Sub-Registrar-VII  
New Delhi

18-1-2001

**Annexure-XXI**

**Photographs of covered material with**

**Green net**



**Annexure-XZIII**

**Copy of PUC certificate**

## Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**


Authorised By :  
Government of Haryana

Date : **10/04/2024**  
Time : **17:28:54 PM**  
Validity upto : **09/04/2025**



Certificate SL. No. : HR07300180006968  
 - Registration No. : HR73B9350  
 Date of Registration : 28/Mar/2024  
 - Month & Year of Manufacturing : January-2024  
 Valid Mobile Number : \*\*\*\*\*6355  
 Emission Norms : BHARAT STAGE VI  
 Fuel : DIESEL  
 PUC Code : HR0730018  
 GSTIN :  
 Fees :  
 MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
Smoke Density	Lambda	-	1 ± 0.03	
	Light absorption coefficient	1/metre	0.7	0.26

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator

60mm x 20 mm

## Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**


Authorised By :  
Government of Haryana

Date : **10/04/2024**  
Time : **17:21:23 PM**  
Validity upto : **09/04/2025**



Certificate SL. No. : HR07300180006967  
Registration No. : HR73B1288  
Date of Registration : 07/Mar/2024  
Month & Year of Manufacturing : January-2024  
Valid Mobile Number : \*\*\*\*\*6355  
Emission Norms : BHARAT STAGE VI  
Fuel : DIESEL  
PUC Code : HR0730018  
GSTIN :  
Fees :  
MIL observation. : No

Vehicle Photo with Registration plate  
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
Smoke Density	Lambda	-	1 ± 0.03	
	Light absorption coefficient	1/metre	0.7	0.35

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm



## Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**

Authorised By :  
Government of Haryana


Date : **10/04/2024**  
Time : **17:39:28 PM**  
Validity upto : **09/04/2025**



Certificate SL. No. : HR07300180006970  
Registration No. : HR73B1655  
Date of Registration : 07/Mar/2024  
Month & Year of Manufacturing : January-2024  
Valid Mobile Number : \*\*\*\*\*6355  
Emission Norms : BHARAT STAGE VI  
Fuel : DIESEL  
PUC Code : HR0730018  
GSTIN :  
Fees :  
MIL observation : No

Vehicle Photo with Registration plate

60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
Smoke Density	Lambda	-	1 ± 0.03	
	Light absorption coefficient	i/metre	0.7	0.23

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC operator  
60mm x 20 mm

## Form 59

[See rules 115 (2)]

**Pollution Under Control Certificate**Authorised By :  
Government of HaryanaDate : **10/04/2024**  
Time : **17:33:31 PM**  
Validity upto : **09/04/2025**

Certificate SL. No. : HR07300180006969  
 Registration No. : HR73B6582  
 Date of Registration : 09/Apr/2024  
 Month & Year of Manufacturing : January-2024  
 Valid Mobile Number : \*\*\*\*\*6355  
 Emission Norms : BHARAT STAGE VI  
 Fuel : DIESEL  
 PUC Code : HR0730018  
 GSTIN :  
 Fees :  
 MIL observation : No

Vehicle Photo with Registration plate  
60 mm x 30 mm

Sr. No..	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
Smoke Density	Lambda	-	1 ± 0.03	
	Light absorption coefficient	1/metre	0.7	0.22

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>Authorised Signature with stamp of PUC operator  
60mm x 20 mm

Scanned with OKEN Scanner

**Annexure-XXII**

**Photograph of PM 10 and PM 2.5 Sensor**



GPS Map Camera

Delhi, Delhi, India

C-BLOCK, RITU APARTMENT, Cottage Enclave, Paschim Vihar, Delhi,

110063, India

Lat 28.674675°

Long 77.110954°

**Annexure-XVIII**  
**Photograph of DG Set**

### Photographs of DG Sets



**Delhi, Delhi, India**

A-4/289, A 4 Block, Paschim Vihar, Delhi, 110063, India

Lat 28.673714°

Long 77.111279°

**Annexure-XXIV**

**Copy of Newspaper Advertisement**

NATIONAL  
CONSUMER  
DISPUTES  
REDRESSAL  
COMMISSION  
Upbhokta Nyay  
Bhawan, 'F' Block,  
General Pool Office  
Complex, INA, New  
Delhi - 110023  
CONSUMER  
COMPLAINT  
NO. 1976 OF 2017  
Ajay Kumar  
Manocha and Ors.  
...Complainant(s)

Versus

M/s Aims Max  
Gardenia  
Developers

...Opp. Party(s)

The Purchasers/  
Allottees of the  
Residential Flats in  
"Golf City / Eco  
City" Comprising of  
Towers 13 and 11  
Towers in Plot No. 8  
& 11 Respectively +  
1 Community  
Center, Located in  
Sector 75, Noida,  
UP Developed By  
M/s. Aims Max  
Gardenia  
Developers Pvt.  
Ltd. and ANR.

Whereas the above  
Complainants have,  
through Mr.  
Sudeepa Kumar  
Pal, Advocate, A-  
1102, Prateek  
Edifice, Sector-107,  
Noida-201301,  
Mobile:  
9899399424 filed the  
captioned Consumer  
Complaint before the  
Hon'ble National  
Consumer Disputes  
Redressal  
Commission, New  
Delhi on behalf  
and/or for the benefit  
of all the consumers  
who have either  
booked or have been  
allotted flats, in the  
project namely

"GOLF CITY / ECO  
CITY"  
COMPRISING OF  
TOWERS 13 AND 11  
TOWERS IN PLOT  
NO. 8 AND 11  
RESPECTIVELY + 1  
COMMUNITY  
CENTER,  
LOCATED IN  
SECTOR 75,  
NOIDA, UP being  
developed by the  
Opposite Party  
named above for  
redressal of their

18.07.2019 is  
pleased to direct  
issue of notice of the  
institution of the  
above captioned  
complaint to all the  
consumers having  
same interest in the  
matter. Accordingly,  
all allottees of the  
above referred  
Project having the  
same grievance  
against the Opposite  
Party, may appear  
before the  
Commission in  
person or through an  
Advocate /  
Authorized  
Representative on  
28.11.2019 at 10:30  
a.m. They can  
inspect the file of the  
aforementioned  
complaint in the  
office of the Counsel  
for the  
Complainant(s) and  
apply for being  
impleaded as a party  
to the complaint.  
They may also note  
that the decision of  
the Commission in  
the captioned  
complaint will be  
binding on all the  
consumers on  
whose behalf and/or  
for whose benefit the  
complaint is  
instituted.

Dated, this 25th day  
of September 2019  
By order  
S. Hanumath Rao  
Joint Registrar

Sri Balaji  
Action Medical Institute  
PUBLIC NOTICE  
Sri Balaji Action Medical Institute is  
pleased to inform that the  
"Environmental Clearance" at FC-34,  
A-4 Paschim Vihar Delhi" has been  
accorded with Environmental  
Clearance vide Ref. No. F No 21-  
7/2019-1A-III dated 18th October,  
2019 from Ministry of Environment  
& Forests, Govt. of India. The  
copies of the clearance letters are  
available with the Ministry of  
Environment & Forests and can also  
be seen on their website:  
[www.envfor.nic.in](http://www.envfor.nic.in)  
Lala Munni Lal Mange Ram  
Charitable Trust

Action Cancer Hospital  
PUBLIC NOTICE  
Action Cancer Hospital is pleased  
to inform that the "Environmental  
Clearance" at FC-34, A-4 Paschim  
Vihar Delhi" has been accorded  
with Environmental Clearance vide  
Ref. No. F.No 21-8/2019-1A-III  
dated 06th August, 2019 from  
Ministry of Environment & Forests,  
Govt. of India. The copies of the  
clearance letters are available with  
the Ministry of Environment &  
Forests and can also be seen on

# Youths save girl from assaulter, then rape her; 4 arrested

Shikha.Salaria@timesgroup.com

**Noida:** Her trust was breached, not once but twice in a matter of minutes. A youth she had accompanied after being promised a job tried to force himself on her. Relieved she was when two men came to her rescue, but three minutes is all that it took the rescuers to turn assaulters.

A girl — possibly 16 — was allegedly gang-raped by as many as five men near a green belt in Sector 63, minutes after she had been rescued by them from another assaulter. The alleged gang rape took place on Wednesday evening in an isolated green stretch in Sector 63, barely 400 metres from the Bahlolpur police outpost.

The girl had been brought there by a 21-year-old man called Ravi, who had promised to land her a job in the export company where he worked as a clerk. The girl, youngest of five sisters, is from a poor family and lost her father as a child.

An FIR registered by her family in Phase 3 police station said Ravi tried to kiss the girl and force himself on her when she raised an alarm. "Hearing her cries, two men arrived and beat up Ravi, forcing him to flee. Within a few minutes, they gang-raped the girl, and called three of their friends. They, too, took turns to rape her," the FIR read.

The girl's family is poor, which is why she was in dire need of a job. "We could not even afford her studies. Her father passed away when she was

just one. I work in a private firm and somehow manage to feed my children," the girl's mother said.

The girl was earlier employed with a packaging firm in Noida and had recently lost her job. "She was down with viral and her platelet count was low. She could not attend office for 15 days. When she went to join work, she was asked not to come," her mother said.

**The girl was allegedly  
gang-raped by as many  
as five men near a green  
belt in Sector 63,  
minutes after she had  
been rescued by them  
from another assaulter**

Noida police chief Vaibhav Krishna said the group of youths who rescued her from Ravi first beat her up, gagged her and then took turns to rape her. "They were two of them. They informed three others, who, too, raped her," he said.

According to the medical report, the girl has suffered contusions and abrasions on the back and arms.

However, there was confusion over the girl's age. While the girl's family claimed she was 16, her Aadhaar mentioned 21. Currently, the cops are treating it as a case of rape of an adult. SP (City) Vineet Jaiswal said an age determination test had been conducted on Friday. Four persons, including Ravi, have been arrested.

DT-16/11/2019

## Sewage plants to miss NGT's 2020 target

Paras.Singh@timesgroup.com

**New Delhi:** Though National Green Tribunal (NGT) has fixed December 2020 as the deadline for completing work on four under-construction sewage treatment plants (STP) in the city, it's unlikely that the target would be met.

Delhi Jal Board CEO Nikhil Kumar said that work on only two of the STPs would be completed by the deadline, while the other two plants would become operational by 2022. The plants are located at Rithala, Kondli, Okhla and Coronation Pillar.

Once operational, these plants would have a combined capacity to treat 275 million gallons of sewage per day. They form a key component of the Yamuna Action Plan by significantly increasing wastewater treatment capacity. Currently, Delhi has the capacity to treat 507 MGD of sewage.

Kumar submitted that commissio-

**DJB clears  
various plans  
to recharge  
groundwater**

TIMES NEWS NETWORK

**New Delhi:** Besides unveiling the new septage collection scheme, Delhi Jal Board in its 150th board meeting on Friday cleared a host of projects aimed at reviving lakes, improving the green cover and groundwater levels in south Delhi.

The projects include revival of four completely dry lakes using phytotrid technology, creation of a 34-acre wetland near Timarpur, oxidation ponds and laying of pumping infrastructure to carry treated wastewater from Okhla to Bhatti Mines for groundwater recharge.

Four waterbodies at Rasulpur, Bindapur, Dhichau Kalan and Tikri Kalan would be rejuvenated using phytotrid treatment technology. The wastewater treatment plants would be

...Complainant(s) Versus M/s Aims Max Gardenia Developers ...Opp. Party(s) The Purchasers/ Allottees of the Residential Flats in "Golf City / Eco City" Comprising of Tov. 13 and 11 Towers in Plot No. 8 & 11 Respectively + 1 Community Center, Located in Sector 75, Noida, UP Developed By M/s. Aims Max Gardenia Developers Pvt. Ltd. and ANR.

Whereas the above Complainants have, through Mr. Sudeepa Kumar Pal, Advocate, A-1102, Prateek Edifice, Sector-107, Noida-201301, Mobile: 9899399424 filed the complaint before the Hon'ble National Consumer Disputes Redressal Commission, New Delhi on behalf and/or for the benefit of all the consumers who have either booked or have been allotted flats, in the project namely "GOLF CITY / ECO CITY" comprising of TOWERS 13 AND 11 TOWERS IN PLOT NO. 8 AND 11 RESPECTIVELY + 1 COMMUNITY CENTER, LOCATED IN SECTOR 75, NOIDA, UP being developed by the Opposite Party named above for redressal of their

before the Commission in person or through an Advocate / Authorized Representative on 28.11.2019 at 10:30 a.m. They can inspect the file of the aforementioned complaint in the office of the Counsel for the Complainant(s) and apply for being impleaded as a party to the complaint. They may also note that the decision of the Commission in the captioned complaint will be binding on all the consumers on whose behalf and/or for whose benefit the complaint is instituted.

Dated, this 25th day of September 2019

By order  
S. Hanumatha Rao  
Joint Registrar

himself on her. Relieved she was when two men came to her rescue, but three minutes is all that it took the rescuers to turn assaulters.

A girl — possibly 16 — was allegedly gang-raped by as many as five men near a green belt in Sector 63, minutes after she had been rescued by them from another assaulter. The alleged gang rape took place on Wednesday evening in an isolated green stretch in Sector 63, barely 400 metres from the Baholpur police outpost.

The girl had been brought there by a 21-year-old man called Ravi, who had promised to land her a job in the export company where he worked as a clerk. The girl, youngest of five sisters, is from a poor family and lost her father as a child.

An FIR registered by her family in Phase 3 police station said Ravi tried to kiss the girl and force himself on her when she raised an alarm. "Hearing her cries, two men arrived and beat up Ravi, forcing him to flee. Within a few minutes, they gang-raped the girl, and called three of their friends. They, too, took turns to rape her," the FIR read.

The girl's family is poor, which is why she was in dire need of a job. "We could not even afford her studies. Her father passed away when she was

down with viral and her platelet count was low. She could not attend office for 15 days. When she went to join work, she was asked not to come," her mother said.

**The girl was allegedly gang-raped by as many as five men near a green belt in Sector 63, minutes after she had been rescued by them from another assaulter**

Noida police chief Vaibhav Krishna said the group of youths who rescued her from Ravi first beat her up, gagged her and then took turns to rape her. "They were two of them. They informed three others who, too, raped her," he said.

According to the medical report, the girl has suffered contusions and abrasions on the back and arms.

However, there was confusion over the girl's age. While the girl's family claimed she was 16, her Aadhar mentioned 21. Currently, the cops are treating it as a case of rape of an adult. SP (City) Vineet Jaiswal said an age determination test had been conducted on Friday. Four persons, including Ravi, have been arrested.

DT-16/11/2019

**PUBLIC NOTICE**  
Sri Balaji Action Medical Institute is pleased to inform that the "Environmental Clearance" at FC-34, A-4 Paschim Vihar Delhi" has been accorded with Environmental Clearance vide Ref. No. F No 21-7/2019-1A-III dated 18th October, 2019 from Ministry of Environment & Forests, Govt. of India. The copies of the clearance letters are available with the Ministry of Environment & Forests and can also be seen on their website: [www.envfor.nic.in](http://www.envfor.nic.in)  
Lala Munni Lal Mange Ram Charitable Trust

**PUBLIC NOTICE**  
Action Cancer Hospital is pleased to inform that the "Environmental Clearance" at FC-34, A-4 Paschim Vihar Delhi" has been accorded with Environmental Clearance vide Ref. No. F.No 21-8/2019-1A-III dated 06th August, 2019 from Ministry of Environment & Forests, Govt. of India. The copies of the clearance letters are available with the Ministry of Environment & Forests and can also be seen on

## Sewage plants to miss NGT's 2020 target

Paras.Singh@timesgroup.com

**New Delhi:** Though National Green Tribunal (NGT) has fixed December 2020 as the deadline for completing work on four under-construction sewage treatment plants (STP) in the city, it's unlikely that the target would be met.

Delhi Jal Board CEO Nikhil Kumar said that work on only two of the STPs would be completed by the deadline, while the other two plants would become operational by 2022. The plants are located at Rithala, Kondli, Okhla and Coronation Pillar.

Once operational, these plants would have a combined capacity to treat 275 million gallons of sewage per day. They form a key component of the Yamuna Action Plan by significantly increasing wastewater treatment capacity. Currently, Delhi has the capacity to treat 607 MGD of sewage.

Kumar submitted that commis-

**DJB clears various plans to recharge groundwater**

TIMES NEWS NETWORK

**New Delhi:** Besides unveiling the new septic collection scheme, Delhi Jal Board in its 150th board meeting on Friday cleared a host of projects aimed at reviving lakes, improving the green cover and groundwater levels in south Delhi.

The projects include removal of four completely dry lakes using phytoremediation technology, creation of a 34-acre wetland near Timarpur, oxidation ponds and laying pumping infrastructure to carry treated wastewater from Okhla to Bhatti Maka for groundwater recharge.

Four waterbodies at Rastpur, Bindapur, Dhichau Kalan and Tikri Kalan would be rejuvenated using phytoremediation technology. The wastewater treatment plants would

**Annexure-XXV**

**Receiving of Previous Compliance**

**Report of June 2024**



Eia Team &lt;eia.team@amcgroup.co.in&gt;

## Submission of six-monthly EC Compliance report for the Period April 2023 - September 2023 of "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust

**Eia Team** <eia.team@amcgroup.co.in>

To: iro.jaipur-mefcc@gov.in

Cc: msdpcc@nic.in, sbami projects &lt;projects@actionhospital.com&gt;, gmmaint@actioncancerhospital.com

Mon, Nov 27, 2023 at 5:23 PM

**Reference:** EC Lr. No.: F.No.21-8/2019-1A-III; **Dated:** 06/08/2019

Dear Sir,

This is with reference to the above-mentioned subject. We are hereby submitting six-monthly EC Compliance Report for the period **April 2023- September 2023** for "Action Cancer Hospital" at A-4, Paschim Vihar, Near Paschim Vihar East Metro Station, New Delhi by M/s Manav Sevarth Trust along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change.

**Thanking You,****Yours Sincerely,****For M/s Manav Sevarth Trust**

**EC Compliance report\_Action Cancer Dec 2023.pdf**  
16260K

Your application has been **Submitted** with following details

<b>Proposal No</b>	IA/DL/MIS/91906/2019
<b>Compliance ID</b>	29193968
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/29193968/2023
<b>Reporting Year</b>	2023
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Submission Date</b>	05-12-2023
<b>IRO Name</b>	Shrawan Kumar Verma
<b>IRO Email</b>	kr099.ifs@nic.in
<b>State</b>	DELHI
<b>IRO Office Address</b>	Budgam

**Note:-** SMS and E-Mail has been sent to Shrawan Kumar Verma, DELHI with Notification to Project Proponent.